TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445 . R.O.C

PB-09S27P-05Q

(ROHS)

DATE:2005.01.21


1. Electrical Characteristics

VER .:0

Oscillation Frequency (Hz)	2730 ± 500	
Operating Voltage (Vp-p)	4.0 ~ 7.0	
Rated Voltage (Vp-p)	5.0	
Current Consumption (mA/max)	70 at Rated Voltage	
Sound Pressure Level (dB/min)	85 at 10cm at Rated Voltage	
Coil Resistance (Ω)	32 ± 3	
Operating Temperature (°C)	-20 ~ +70	
Storage Temperature (°C)	-30 ~ +80	
Manual soldering conditions	350±20°C / within 5sec	

 \overline{PS} : Vp-p=1/2duty, square wave

${\bf 2}$. Typical Frequency Response Curve






TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445 . R.O.C

3. Dimensions and Material

3-1 Shape




Unit: mm


3-2 Material

Housing	PPO1200 plastic resin (Color : Black)
Leading Pin	Tin Plated Brass
Weight (Gram)	0.4

4 . Recommend Driving Circuit



The base current Ib should high enough so that it saturates the collector current of the transistor with the CB load.



TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445 . R.O.C


5. TESTING METHOD

· Standard Measurement conditions


Temperature:25 \pm 2 C Humidity:45-60%

· Acoustic Characteristics

The oscillation frequency, current consumption and sound pressure are measured by the measuring instruments shown below.



In the measuring test, buzzers is placed as follows:





TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445. R.O.C

6. RELIABILITY

ITEMS	METHOD OF TEST AND MEASUREMENTS	PERFORMANCE
Coldness	After 98 hours of being exposed to -30 $^{\circ}\!$	No abnormality
withstanding	environment, should be returned to normal	shall exist
	environment for 2 hours, then re-proceed to test.	
Hotness	After 98 hours of being exposed to +80 ${\mathcal C}$	No abnormality
withstanding	environment, should be returned to normal	shall exist
	environment for 2 hours, then re-proceed to test.	
Humidity	After 98 hours of being exposed to 40 $^\circ\!$	No abnormality
withstanding	environment in actual operation, should be	shall exist
	returned to normal environment for 2 hours, then	
	re-proceed to test.	
Durability	Testing after 1,000 hours actual continuous	No abnormality
	operation. (at standard measurement conditions)	shall exist
Drop	A natural drop from 75cm high down to the	No abnormality
withstanding	ground.	shall exist
Vibration	Vibration of 2,000 cycles per minute, 2mm	No abnormality
withstanding	amplitude, applied in X, Y and Z directions for 30	shall exist
	minutes each.	

7. PACKAGE METHOD

< 1 > 100pcs per box , Total 10 boxes per carton , total 1000pcs carton; Volume: L*W*H=510*330*300mm

< 2 > RoHS Mark

