

This safety data sheet is prepared in accordance with EU directive 91/155/EC amended by Directive 2001/58/EC



SAFETY DATA SHEET

HQ Machine cleaner for washmachines and diswashers

1. Identification of the substance/preparation and of the company/undertaking

Identification of the substance or pro	reparation			
Product name	: HQ Machine clean	er for washmachines and diswa	shers	
Product use	: Cleaning agent	Cleaning agent		
Company/undertaking identification	n			
Manufacturer	: HG International b.v.	Telephone No.:	: +31 (0)36 54 94 700	
Address	: Damsluisweg 70	Fax	: +31 (0)36 54 94 744	
	1332 EJ Almere	Internet:	: www.hginternational.com	
Country	: Netherlands			
Rationing	: Nedis b.v. Holland			
Address	: De Tweeling 28, 521	5 MC 's-Hertogenbosch		
Telephone No.:	: +31(0)73 5999640	Internet:	: www.finsan.com	
Country	: Netherlands			

2. Composition/information on ingredients

Substance/preparation : Preparation				
Ingredient name	CAS number	EC Number	%	Classification
Netherlands / Germany / United Kingdom (UK)				
Sodium hydroxide Sodium carbonate	1310-73-2 497-19-8		15 - 30 5 - 15	C; R35 Xi; R36

Occupational Exposure Limit(s), if available, are listed in Section 8 See full text of phrases in section 16

3. Hazards identification

The preparation is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification

: C; R35

Physical/chemical hazards

Not applicable.Causes severe burns.

Human health hazards Environmental hazards

- Not applicable.Not available.
- Additional Hazards

See section 11 for more detailed information on health effects and symptoms.

4. First aid measures

First aid measures

Date of issue		
18-12-2006.	Version 2	Page: 1/7





HQ Machine cleaner for washmachines and diswashers

Inhalation	:	Get medical attention immediately. Move exposed person to fresh air. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Ingestion	:	Get medical attention immediately. Wash out mouth with water. Remove dentures if any. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin Contact	:	Get medical attention immediately. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Eye contact	:	Get medical attention immediately. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
Notes to physician	:	Not available.
Specific treatments	:	Not available.
See section 11 for more detailed in	foi	mation on health effects and symptoms.

5. Fire-fighting measures

Extinguishing media Special exposure hazards	 No specific fire or explosion hazard. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Hazardous thermal decomposition products	 Decomposition products may include the following materials: carbon oxides sulfur oxides halogenated compounds metal oxide/oxides
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal Precautions

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

Date of issue			
18-12-2006.	Version	2	Page: 2/7





HQ Machine cleaner for washmachines and diswashers

Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for cleaning up	: Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

Note: see section 8 for personal protective equipment and section 13 for waste disposal.

7. Handling and storage

Handling	: Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not get in eyes or on skin or clothing. Do not breathe dust. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Storage	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
Packaging materials	
Recommended	: Use original container.
Specific uses	: Not available.

8. Exposure controls/personal protection

<u>Ingredient name</u>	Occupational exposure limits		
Netherlands			
Sodium hydroxide	Nationale MAC-lijst (Netherlands, 2003). Notes: Administrative MAC-C: 2 mg/m ³ TGG: 2 mg/m ³ 8 hour(s).		
Germany			
Sodium hydroxide	TRGS900 MAK (Germany, 2003). Notes: Spitzenbegrenzung: 2 mg/m ³ TWA: 2 mg/m ³ 8 hour(s).		
<u>United Kingdom (UK)</u>			
Sodium hydroxide	EH40-OES (United Kingdom (UK), 2002). Notes: STEL: 2 mg/m ³ 15 minute(s).		
Exposure controls			
Respiratory protection	: Recommended: Dust respirator.		
Hand protection	: >8 hours (breakthrough time): Butyl rubber gloves.		
Eye protection	: Recommended: safety glasses with side shields		
Skin protection	: Recommended: Work uniform or laboratory coat.		
Date of issue			
18-12-2006	. Version 2 Page: 3/7		





HQ Machine cleaner for washmachines and diswashers

9. Physical and chemical properties

General information		
Appearance		
Physical state	: Solid. [Powder.]	
Colour	: White to yellowish.	
Odour	: Fragrance-like.	
Important health, safety and enviro	ental information	
pH	: 13,09 [Conc. (% w/w): 1%]	
Melting point	: Not available.	
Boiling point	: Not available.	
Flash point	: Not available.	
Flammability (solid, gas)	: Not applicable.	
Explosive properties	: Not available.	
Oxidising properties	: Not available.	
Relative density	: 1,21 to 1,26 g/cm ³ [20°C (68°F)]	
Solubility	: Easily soluble in the following materials: hot water. Soluble in the following materials: cold water.	

Other information

10. Stability and reactivity

Stability Conditions to Avoid	The product is stable.Keep from any possible contact with water.
Materials to avoid	: Extremely reactive or incompatible with the following materials: acids and moisture. Reactive or incompatible with the following materials: oxidizing materials and metals.
Hazardous Decomposition Products	 Decomposition products may include the following materials: carbon oxides sulfur oxides halogenated compounds metal oxide/oxides

11. Toxicological information

Potential acute health effects	S				
Inhalation	: May give off gas, vapor or o	: May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system.			
Ingestion	: May cause burns to mouth,	May cause burns to mouth, throat and stomach.			
Skin Contact	: Severely corrosive to the sk	Severely corrosive to the skin. Causes severe burns.			
Eye contact	: Severely corrosive to the ey	es. Causes severe	e burns.		
Acute toxicity					
<u>Ingredient name</u>	Test	<u>Result</u>	<u>Route</u> <u>S</u>	<u>pecies</u>	
Potential chronic health ef	ffects				
Ingredient name	Carcinogenic effects	Mutagenic effects	Developmental toxicity	y Impairs fertility	
Carcinogenicity	: No known significant effect	s or critical hazards	i.		
Mutagenicity	: No known significant effect	s or critical hazards	i.		
Date of issue					

18-12-2006.	Version 2	Page: 4/7





HQ Machine cleaner for washmachines and diswashers

Reproductive toxicity	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Inhalation	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Skin	:	No known significant effects or critical hazards.
Target organs	:	Contains material which causes damage to the following organs: lungs, upper respiratory tract, skin, eye, lens or cornea, stomach.

12. Ecological information

Ecotoxicity data			
Ingredient name	Species	Period	Result
Sodium carbonate	LEPOMIS MACROCHIRUS (LC50)	96 hour(s)	300 mg/l
	DAPHNIA MAGNA (LC50)	96 hour(s)	500 mg/l
	DAPHNIA MAGNA (LC50)	24 hour(s)	265 mg/l
	No known aignifiaant offacta ar aritical	hozordo	

No known significant effects or critical hazards.

Other adverse effects

13. Disposal considerations

Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
Waste classification	:
European waste catalogue (EWC)	: Not available.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.

14. Transport information

International transport regulations

Regulatory information	UN number	Proper sl	hipping name	Class	Packing group	Label	Additional Information
ADR/RID Class	3262	BASIC, I N.O.S. ,	2, LMT QTY, NORGANIC, CLASS 8, II hydroxide)	8		0	Hazard identification number 80 Reportable quantity 12 Limited quantity LQ23
Date of issue	1	_1		1	1		1
18-12-2006.			Version	2		F	Page: 5/7



This safety data sheet is prepared in accordance with EU directive 91/155/EC amended by Directive 2001/58/EC



SAFETY DATA SHEET

HQ Machine cleaner for washmachines and diswashers

ADN Class	3262	UN 3262, LMT QTY, BASIC, INORGANIC, N.O.S. , CLASS 8, II mixture (Sodium hydroxide)	8	II	-
IMDG Class	3262	UN 3262, LMT QTY, BASIC, INORGANIC, N.O.S., CLASS 8, II mixture (Sodium hydroxide)	8	II	Emergency schedules (EmS) F-A S-B
IATA-DGR Class	3262	UN 3262, LMT QTY, BASIC, INORGANIC, N.O.S. , CLASS 8, II mixture (Sodium hydroxide)	8	II	-

15. Regulatory information

EU Regulations

Hazard symbol(s)



Risk Phrases	: R35- Causes severe burns.
Safety Phrases	 S1/2- Keep locked up and out of the reach of children. S22- Do not breathe dust. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). S64- If swallowed, rinse mouth with water (only if the person is conscious).
Contains	: Sodium hydroxide
Other EU regulations	: Not available.
Product use	: Consumer applications.
Other EU regulations	
Child protection	: Yes, applicable.
Tactile warning of danger	: Yes, applicable.
EC Statistical classification (Tariff Code)	: 32089091
National regulations	
<u>Netherlands</u>	
<u>Germany</u>	
Employment restrictions in accordance with § 15b of the Hazardous Substance Ordinance	: Not available.
Hazardous incident ordinance	: Not applicable.
Hazard class for water	: 2 Appendix No. 4
Date of issue	
18-12-2006.	Version 2 Page: 6/7



This safety data sheet is prepared in accordance with EU directive 91/155/EC amended by Directive 2001/58/EC



SAFETY DATA SHEET

HQ Machine cleaner for washmachines and diswashers

16. Other information

Full text of R phrases referred to in sections 2 and 3 - Netherlands		R35- Causes severe burns. R36- Irritating to eyes.
Full text of classifications referred to in sections 2 and 3 - Netherlands		C - Corrosive Xi - Irritant
Full text of R phrases referred to in sections 2 and 3 - United Kingdom (UK)	:	R35- Causes severe burns. R36- Irritating to eyes.
Full text of classifications referred to in sections 2 and 3 - United Kingdom (UK)	:	C - Corrosive Xi - Irritant
Full text of R phrases referred to in sections 2 and 3 - Germany	:	R35- Causes severe burns. R36- Irritating to eyes.
Full text of classifications referred to in sections 2 and 3 - Germany	:	C - Corrosive Xi - Irritant
<u>History</u>		
Date of printing	:	18-12-2006.
Date of issue	:	18-12-2006.
Version	:	2
Verified by H.J. van Gijlswijk.		

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

		_	
Version	2		Page: 7/7