


LogiLink_®

6-Way Power Strip
with 1x USB-C PD 20 W &
1x USB-A QC Charging Ports


Art. No.: LPS288U












Power Up to 8 Devices Simultaneously

Connect various devices with power directly. Safe to use with overload protection.



Specification:

| Rated Power | 230 V~ 50 Hz, 16 A, 3600 W max. |
|----------------------------|---|
| Standby Power Consumption | <0.1 W |
| Plug Type | Safety plug CEE 7/7, angled |
| Socket Types | 6x German type sockets CEE 7/3, 1x USB-A and 1x USB-C ports |
| USB Outputs | USB-A: 5 V/3 A (15 W), 9 V/2 A (18 W), 12 V/1.5 A (18 W max.) USB-C: 5 V/3 A (15 W), 9 V/2.22 A (20 W), 12 V/1.67 A (20 W max.) USB-A+USB-C: 5 V/3.1 A (15.5 W max.) PPS: 3.3-5.9 V/3 A, 3.3-11 V/1.8 A (20 W max.) Total output: 20 W max. |
| USB Protection | Overload |
| USB Smart Charging | Yes |
| Socket with Safety Shutter | Yes |







| On/Off Switch | Yes |
|-----------------------|--|
| LED Indication | Red LED |
| Degree of Protection | IP20 |
| Housing Material | PC |
| Color | White/grey |
| Cable Specification | H05VV-F 3G 1.5 mm ² , 1.4 m |
| Operating Temperature | -15–60°C |
| Operating Humidity | 20–70% RH (non-condensing) |
| Dimensions | 37.6 x 4.7 x 4 cm (without cable) |
| Weight | 459.5 g |

Package Contents:

- » 1x 6-Way Power Strip
- » 1x User Manual

Package Information:

» Packing Dimension: 420 x 78 x 50 mm

» Packing Weight: 0.464 kg

» Carton Dimension: 440 x 370 x 185 mm

» Carton Q'ty: 20 pcs » Carton Weight: 9.6 kg

- ① Do not plug in a row.
- ! Indoor use only.



