

# **LogiLink**<sub>®</sub>

# Universal Travel Adapter 70 W PD

2x USB-A, 1x USB-C, 1x AC Outlet 1x USB-C Cable

Art. No.: PA0357












Included





# Universally Compatible with 200+ Countries

Designed with 4 interchangeable plugs that can be adapted to outlets in several countries, including plugs in the EU, UK, USA and Australia, covering more than 200 countries and regions.



International outlet adapter accepts 10 types of plugs, use it both domestically and abroad.











Type A

Type B

Type C

Type E

Type F











Type G

Type I

Type J

Type L

Type N



#### Universal AC outlet

## **Versatile Charging**

Supports 2x USB-A QC 3.0, 1x USB-C PD 3.0, an AC outlet and a built-in USB-C cable. Perfect for powering multiple devices simultaneously, ensuring you always have a cable on hand for charging.

#### **GaN Technology**

Compact design with advanced GaN technology for efficient, high-power performance and better heat management.





<sup>\*</sup>Adapter (AC-AC) does not convert voltage.

<sup>\*</sup>All trade names referenced are the registered trademarks of their respective owners.







<sup>\*</sup>Do not use with appliances requiring ground wire.

<sup>\*</sup>The specifications and pictures are subject to change without prior notice.

#### 70 W PD Fast Charging

Delivers up to 70 W Power Delivery (PD) via the USB ports. Easily charge your laptops, smartphones, and other high-powered devices.





#### **Enhanced Safety**

Made of fire-resistant material with built-in 10 A fuse, safety shutters, and multiple charging protections for reliable use.



#### **Portable Design**

Lightweight and space-saving, perfect for travel.

#### **Wide Applications**

Great for travelers, remote workers, and students. Powers smartphones, tablets, laptops, and small appliances with ease.





<sup>\*</sup>Adapter (AC-AC) does not convert voltage.





<sup>\*</sup>Do not use with appliances requiring ground wire.

<sup>\*</sup>The specifications and pictures are subject to change without prior notice.
\*All trade names referenced are the registered trademarks of their respective owners.

#### **Specification:**

Input	100-250 V AC 50/60 Hz 10 A, 2500 W max.
Output Interface	1x USB-C female, 1x USB-C male, 2x USB-A female, 1x AC outlet
USB Output	USB-C1/C2: 5 V/3 A (15 W), 9 V/3 A (27 W), 12 V/3 A (36 W), 15 V/3 A (45 W), 20 V/3.25 A (65 W max.)  USB-A1: 5 V/1 A (5 W)  USB-A2: 4.5 V/5 A (22.5 W), 5 V4.5 A (22.5 W), 5 V/3 A (15 W), 9 V/3 A (27 W), 12 V/3 A (36 W), 20 V/3 A (60 W max.)  PPS: 3.3-11 V/3 A (33 W max.), 3.3-11 V/5 A (55 W max.)  C1+C2: 45 W+20 W, C1+A1: 60 W+5 W, C1+A2: 45 W+20 W  C2+A1: 65 W+5 W, C2+A2: 45 W+15 W, A1+A2: 5 W+60 W  C1+C2+A1: 45 W+20 W+5 W, C1+(C2+A2): 45 W+(15 W),  C1+A1+A2: 45 W+18 W+5 W, (C2+A2)+A1: (15 W)+5 W  C1+(C2+A2)+A1: 45 W+(15 W)+5 W  Total output: 70 W max.
Efficiency	Level VI
LED Indicator	Blue
Protections	Overcharge, overcurrent, overheat, overvoltage, overload and short circuit
Operating Temperature	-10–35°C
Operating Humidity	20–80% RH (no-condensation)
Color	White
Dimensions	9 x 5.5 x 5.4 cm
Weight	237 g
Cable Length	80 cm

### **Package Contents:**

- » 1x Travel Adapter
- » 1x User Manual

# Package Information:

» Packing Dimension: 98 x 60 x 70 mm

» Packing Weight: 0.252 kg » Carton Dimension: mm

» Carton Q'ty: pcs » Carton Weight: kg







<sup>\*</sup>Adapter (AC-AC) does not convert voltage.
\*Do not use with appliances requiring ground wire.

<sup>\*</sup>The specifications and pictures are subject to change without prior notice.
\*All trade names referenced are the registered trademarks of their respective owners.