

LogiLink®



Ultra-Flat Smoke Detector with 10-Year Battery

Art. No.: SC0019



Complies with
EN 14604
Standard

VdS G 224013



Built-in 10 Years
DC 3 V lithium battery



Ultra-Flat



Make Your Life Safer

This smoke detector with 10 years lithium battery has photoelectric sensor which is optimized to detect even slow smoldering fires. Loud 85 dB alarm with easy mounting kits, single test/silence button and an end-of-life signal so you know when to replace the device. For maximum protection and the ultimate in assurance, you can depend on LogiLink's Smoke Detector to secure what matters most in life.



85dB Alarm



Silent Mode



LED Indicator



Low Battery Indication



Easy to Install



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.




SC0019



Made in China

Flat Design Fitting any Home Decor

Sleek, flat and safe, install the smoke alarm anywhere you want to enhance the safety of your family; watches over you around the clock.



Guaranteed Quality

This smoke detector complies with the EN 14604 standard and VdS approval G 224013, ensuring high quality and durability for home safety.



Highly Accurate & Responsive

Features photoelectric technology; the smoke detector responds to hazardous smoke quicker than traditional detectors. With an 85 dB alarm and a rapid flashing indicator, the alarm ensures complete protection by giving you enough time to control the fire or safely escape.



Self-Test & Silent Function

Built-in 3 V lithium battery, which could keep for 10 years without replacing to protect the environment.

Comes with silent mode that allows you to avoid false alarms from cooking or steamy showers. Once pushed, silent mode is activated for 15 minutes, then returns to normal functionality, thus keeping you and your family safe.



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.



Specifications:

Power	Built-in DC 3 V lithium 1500 mAh battery, not replaceable
Sensor Type	Photoelectric
Standard	EN 14604:2005+AC:2008
Standby Current	<10 uA
Alarm Current	<50 mA
Alarm Volume	≥85 dB@3 m
Alarm Sensitivity	0.105–0.155 dB/m
Alarm Mode	Sound + light
Silent Mode Time	Up to 15 minutes
LED Indicator	Yes
Battery Life	10 years
Mounting Methods	Ceiling-mounted by screws or 3M pad
Housing Material	PC + ABS
Color	White
Operating Temperature	0–40°C
Operating Humidity	0–95% RH (non-condensing)
Dimensions	Ø11.5 x 2.35 cm
Weight	120.5 g

Package Contents:

- » 1x Smoke Alarm
- » 1x Fitting Material
- » 1x User Manual

Package Information:

- » Packing Dimension: 130 x 40 x 130 mm
- » Packing Weight: 0.176 kg
- » Carton Dimension: 425 x 280 x 280 mm
- » Carton Q'ty: 40 pcs
- » Carton Weight: 7.8 kg



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.



Made in China