

LogiLink®



USB-C 10 G 13-in-1 Docking Station

Art. No.: UA0411


USB 3.2 Gen 2
10 Gbps

Expand Your Laptop Functions

The ultimate Docking Station with an all-in-one solution to connect your USB-C laptop to multiple devices; simply connect projectors, 4K monitors, SD cards, speakers and USB flash drives to your laptop. It also supports pass-through charging up to 100 W; the gigabit ethernet port ensures a safe and secure internet connection.



13-in-1 Expansions



Fast Data Transmission

Connect your laptop via the USB-C port to give you two extra 10G ports and three USB 3.0 ports to connect your peripherals.



Powerful Fast Charging

USB-C PD 3.0 port with Power Delivery up to 100 W, stable and super fast charging.

*Proper use of the PD function can only be guaranteed in combination with certified USB cables with E-Mark chipset.


Triple Video Outputs



Crystal Clear & Simultaneous Video Outputs

Extend up to three monitors through two HDMI and one DisplayPort at the same time. Easily stream high resolution videos to a HDTV, monitor, or projector; enjoy your crisp and colorful pictures.

*MST function only works for Windows and Mac OS with software installed.




Wide Compatibility

Works with all USB-C (Thunderbolt 3/4 compatible) laptops, computers and tablets; fully compatible with Windows and Mac OS.

Ergonomic & Heat Dissipation Design

The elevated design improves the comfort of your typing experience while cooling your laptop; the rubber pads ensure stability of use.



Specification:

Input	1x USB-C male, 1x USB-C PD (female)
Output	4x USB-A female, 1x USB-C female, 2x HDMI-A female, 1x DisplayPort female, SD card slot, microSD card slot, 1x RJ45 female (8P8C), 1x 3.5 mm audio jack
HDMI Standard	HDMI 2.0
DisplayPort Standard	DP 1.0
USB-C Standard	USB 3.2 Gen 2
Data Transfer Rate	Up to 10 Gbps
Compatible with Thunderbolt 3/4	Yes
Power Delivery Standard	PD 3.0
USB-C PD Port Output	5 V/3 A (15 W), 9 V/3 A (27 W), 12 V/3 A (36 W), 15 V/3 A (45 W) 20 V/5 A (100 W). Max. output: 100 W
DisplayPort Alt Mode	Yes
HDCP	HDCP 1.4 to 2.3
DSCP	DSCP 1.0
Output Resolution	HDMI 1: 3840x2160@60 Hz, HDMI 2: 3840x2160@30 Hz DP: 1080P@60 Hz
MST (Multi-Stream Transport)	Yes (for Windows and Mac OS)
EDID Management	Pass-through
CEC (Consumer Electronics Control)	Yes
3D Support	Yes
DDC (Display Data Channel)	Yes
ARC (Audio Return Channel)	Yes
HDR (High-Dynamic Range)	Yes
DSC (Display Stream Compression)	Yes
HFR (High Frame Rate)	Yes
TMDS (Transition Minimized Differential Signaling)	Yes
Color Format Support	RGB, YCbCr4:4:4, YCbCr4:2:2, YCbCr4:2:0
Color Depth Support	8, 10 bit per channel
Umcompressed Audio	LPCM 2.0/5.1/7.1
Compressed Audio	DTS, Dolby Digital,DTS-HD Master Audio™, Dolby TrueHD
Display Mode	Main/Extend/Mirror
Ethernet Standard	IEEE802.3, IEEE802.3u, IEEE802.3ab, IEEE802.az
Ethernet Speed	10/100/1000 Mbps
Supporting Memory Cards	SD/SDHC/SDXC & microSD/microSDHC/microSDXC
Memory Card Capacity	2 TB
Power By	USB bus powered
Hot Plug/Plug & Play	Yes (driver required for video MST mode in Mac OS and Windows)
Max. Power Comsuption	15 W

Housing	Aluminum
Color	Silver
Compatibility	Windows, Linux, Mac OS, Android, Chrome OS, SteamOS 3.0 and iPad OS
Operating Temperature	0–40°C
Operating Humidity	10–85% RH (no condensation)
Cable Length	15 cm
Dimensions	28 x 8 x 1.72 cm (cable not included)
Weight	235 g

Package Contents:

- » 1x USB-C 10G 13 in 1 Docking Station
- » 1x User Manual

Package Information:

- » Packing Dimension: 320 x 120 x 25 mm
- » Packing Weight: 0.43 kg
- » Carton Dimension: 540 x 340 x 270 mm
- » Carton Q'ty: 40 pcs
- » Carton Weight: 18 kg



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.



UA0411



4 052792 071818

Made in China