



# CIRCUIT BOARD HARDWARE


## LCBSB Locking Circuit Board Support on Base



Material: Nylon 6/6, RMS-01 Color: Blue	
Part Number	Standard Pack: 1,000 per bag
"A" ± 0.4mm	
LCBSB-6M-01A-RT	6.0mm
LCBSB-8M-01A-RT	8.0mm
LCBSB-10M-01A-RT	10.0mm
LCBSB-12M-01A-RT	12.0mm
LCBSB-14M-01A-RT	14.0mm
LCBSB-16M-01A-RT	16.0mm
Part available in V-0 material by special order. To order, replace -01 with -19.	
Part also available without adhesive. To order, remove A-RT. For new "A" dimension subtract 1/32" (0.8mm).	
Adhesive Backing, RMS-15	

Material: Nylon 6/6, RMS-01 Color: Natural	
Part Number	Standard Pack: 1,000 per bag "A" ± .015 (0.4)
LCBSB-3-01A-RT	3/16 (4.8)
LCBSB-4-01A-RT	1/4 (6.4)
LCBSB-6-01A-RT	3/8 (9.5)
LCBSB-8-01A-RT	1/2 (12.7)
LCBSB-10-01A-RT	5/8 (15.9)
LCBSB-12-01A-RT	3/4 (19.1)
LCBSB-14-01A-RT	7/8 (22.2)
LCBSB-16-01A-RT	1 (25.4)
LCBSB-18-01A-RT	1-1/8 (28.6)
Part available in V-0 material by special order. To order, replace -01 with -19.	
Part also available without adhesive. To order, remove A-RT. For new "A" dimension subtract 1/32" (0.8 mm).	
Adhesive Backing, RMS-15	
SCBSB-XX-01A-RT with .30" long, #6-32 threaded stud top available by special order. Use part number HN#6-32-01 as a mating nut. SCBSB available in V-0 material by special order. To order, replace -01 with -19.	


## CBSB Circuit Board Support on Base



Material: Nylon 6/6, RMS-01  
Color: Natural


Part Number	Standard Pack: 1,000 per bag "A" ± .015 (0.4)
CBSB-3-01A-RT	3/16 (4.8)
CBSB-4-01A-RT	1/4 (6.4)
CBSB-6-01A-RT	3/8 (9.5)
CBSB-8-01A-RT	1/2 (12.7)
CBSB-10-01A-RT	5/8 (15.9)
CBSB-12-01A-RT	3/4 (19.1)
CBSB-14-01A-RT	7/8 (22.2)
CBSB-16-01A-RT	1 (25.4)
CBSB-18-01A-RT	1-1/8 (28.6)
Part available in V-0 material by special order. To order, replace -01 with -19.	
Part also available without adhesive. To order, remove A-RT. For new "A" dimension subtract 1/32" (0.8 mm).	
Adhesive Backing, RMS-15	

## LCBSBM Locking Circuit Board Support on Base, Mini



Material: Nylon 6/6, RMS-01 Color: Natural	
Part Number	Standard Pack: 1,000 per bag
"A" ± .015 (0.4)	
LCBSBM-3-01A-RT	3/16 (4.8)
LCBSBM-4-01A-RT	1/4 (6.4)
LCBSBM-5-01A-RT	5/16 (7.9)
LCBSBM-6-01A-RT	3/8 (9.5)
LCBSBM-7-01A-RT	7/16 (11.1)
LCBSBM-8-01A-RT	1/2 (12.7)
LCBSBM-9-01A-RT	9/16 (14.3)
LCBSBM-10-01A-RT	5/8 (15.9)
Part available in V-0 material by special order, to order, replace -01 with -19	
Part also available without adhesive. To order, remove A-RT. For new "A" dimension subtract 1/32" (0.8mm).	
Adhesive Backing, RMS-15	

## CBSBT Circuit Board Support on Base, Teardrop





Material: Nylon 6/6, RMS-01  
Color: Natural

Part No.	Standard Pack: 1000 per bag
"A" ± .015 (0.4)	
CBSBT-3-01A-RT	3/16 (4.8)
CBSBT-4-01A-RT	1/4 (6.4)
CBSBT-5-01A-RT	5/16 (7.9)
CBSBT-6-01A-RT	3/8 (9.5)
CBSBT-7-01A-RT	7/16 (11.1)
CBSBT-8-01A-RT	1/2 (12.7)
CBSBT-9-01A-RT	9/16 (14.3)
CBSBT-10-01A-RT	5/8 (15.9)
Part available in V-0 material by special order. To order, replace -01 with -19.	
Part also available without adhesive. To order, remove A-RT. For new "A" dimension subtract 1/32" (0.8mm).	
Adhesive Backing, RMS-15	
CCBSBT-XX-01A-RT with Cupped, Teardrop-style top available by special order. CCBSBT available in V-0 material by special order. To order, replace -01 with -19.	

# CIRCUIT BOARD HARDWARE

## DLCBST

**Dual Locking Circuit Board Support, Teardrop**



Material: Nylon 6/6, RMS-01  
Color: Natural


Part Number	Standard Pack: 1,000 per bag
	"A" ± .015 (0.4)
DLCBST-1-01	1/16 (1.6)
DLCBST-2-01	1/8 (3.2)
DLCBST-3-01	3/16 (4.8)
DLCBST-4-01	1/4 (6.4)
DLCBST-5-01	5/16 (7.9)
DLCBST-6-01	3/8 (9.5)
DLCBST-7-01	7/16 (11.1)
DLCBST-8-01	1/2 (12.7)
DLCBST-9-01	9/16 (14.3)
DLCBST-10-01	5/8 (15.9)

Part available in V-0 material by special order.  
To order, replace -01 with -19.

CHDLCBST-XX-01 with Cupped, Teardrop-style top available by special order. CHDLCBST available in V-0 material by special order. To order, replace -01 with -19.

## DLCBSAT

**Dual Locking Circuit Board Support, Arrowhead/Teardrop**



Material: Nylon 6/6, RMS-01  
Color: Natural


Part Number	Standard Pack: 1,000 per bag
	"A" ± .015 (0.4)
DLCBSAT-2-01	1/8 (3.2)
DLCBSAT-3-01	3/16 (4.8)
DLCBSAT-4-01	1/4 (6.4)
DLCBSAT-5-01	5/16 (7.9)
DLCBSAT-6-01	3/8 (9.5)
DLCBSAT-7-01	7/16 (11.1)
DLCBSAT-8-01	1/2 (12.7)
DLCBSAT-9-01	9/16 (14.3)
DLCBSAT-10-01	5/8 (15.9)

Part available in V-0 material by special order. To order, replace -01 with -19.

CDLCSAT-XX-01 with Cupped, Teardrop-style top available by special order. CDLCSAT available in V-0 material by special order. To order, replace -01 with -19.

## LCBST

**Locking Circuit Board Support, Teardrop**



Material: Nylon 6/6, RMS-01  
Color: Natural



Part Number	Standard Pack: 1,000 per bag
	"A" ± .015 (0.4)
LCBST-1-01	1/16 (1.6)
LCBST-2-01	1/8 (3.2)
LCBST-3-01	3/16 (4.8)
LCBST-4-01	1/4 (6.4)
LCBST-5-01	5/16 (7.9)
LCBST-6-01	3/8 (9.5)
LCBST-7-01	7/16 (11.1)
LCBST-8-01	1/2 (12.7)
LCBST-9-01	9/16 (14.3)
LCBST-10-01	5/8 (15.9)

Part available in V-0 material by special order. To order, replace -01 with -19.

CLCBST-XX-01 with Cupped, Teardrop-style bottom available by special order. CLCBST available in V-0 material by special order. To order, replace -01 with -19.

## SCBSM

**Studded Circuit Board Support, Mini**



Material: Nylon 6/6, RMS-01• Color: Natural

Part Number	Standard Pack: 1,000 per bag
	"A" Dim ± .015 (0.4)
SCBSM-632-2-01	1/8 (3.2)
SCBSM-632-3-01	3/16 (4.8)
SCBSM-632-4-01	1/4 (6.4)
SCBSM-632-5-01	5/16 (7.9)
SCBSM-632-6-01	3/8 (9.5)
SCBSM-632-7-01	7/16 (11.1)
SCBSM-632-8-01	1/2 (12.7)
SCBSM-632-9-01	9/16 (14.3)
SCBSM-632-10-01	5/8 (15.9)

Part available in V-0 material by special order. To order, replace -01 with -19.

MSCBSM-M3-XX-01 or MSCBSM-M4-XX-01 with M3 or M4 threaded stud bottoms available by special order. MSCBSM available in V-0 material by special order. To order, replace -01 with -19.

Mating Nuts	Thread
HN#6-32-01	6-32
HN-M3-79	M-3
HN-M4-01	M-4


# CIRCUIT BOARD HARDWARE

## SRLCBS

**Snap Rivet Locking Circuit Board Support**




Use Richco Rivet #	For Chassis Thickness
SR-4050	.026 (0.7) - .062 (1.6)
SR-4060	.062 (1.5) - .105 (2.7)
SR-4070	.105 (2.7) - .145 (3.7)
SR-4080	.145 (3.7) - .184 (4.7)
SR-4100	.223 (5.7) - .263 (6.7)



Material: Nylon 6/6, RMS-01  
Color: Natural


Part No.	Standard Pack: "A" ± .015 (0.4)
SRLCBS-6-01	3/8 (9.5)
SRLCBS-7-01	7/16 (11.1)
SRLCBS-8-01	1/2 (12.7)
SRLCBS-10-01	5/8 (15.9)
SRLCBS-12-01	3/4 (19.1)
SRLCBS-14-01	7/8 (22.2)
SRLCBS-16-01	1 (25.4)

Part available in V-0 material by special order. To order, replace -01 with -19.



## SRLAHS


**Snap Rivet Locking Arrowhead Support**



Material: Nylon 6/6, RMS-01  
Color: Natural


Part No	Standard Pack: 1000 per bag
	"A" ± .015 (0.4)
SRLAHS-7-01	7/16 (11.1)
SRLAHS-8-01	1/2 (12.7)
SRLAHS-10-01	5/8 (15.9)
SRLAHS-12-01	3/4 (19.1)
SRLAHS-14-01	7/8 (22.2)
SRLAHS-16-01	1 (25.4)

Part available in V-0 material by special order. To order, replace -01 with -19.



## SRSCBS

**Snap Rivet Studded Circuit Board Support**



Material: Nylon 6/6, RMS-01  
Color: Natural

Part No.	Standard Pack: 1000 per bag
	"A" ± .015 (0.4)
SRSCBS-6-01	3/8 (9.5)
SRSCBS-7-01	7/16 (11.1)
SRSCBS-8-01	1/2 (12.7)
SRSCBS-10-01	5/8 (15.9)
SRSCBS-12-01	3/4 (19.1)
SRSCBS-14-01	7/8 (22.2)
SRSCBS-16-01	1 (25.4)


Part available in V-0 material by special order. To order, replace -01 with -19.

Part available with an M-3 or M-4 thread by special order. To order, use part number SRSCBS-M3-XX-01 for M-3 thread. Use part number SRSCBS-M4-XX-01 for M-4 thread

Mating Nuts	Threads
HN#6-32-01	6-32
HN-M3-79	M3
HN-M4-01	M4

## LCBS-L

**Locking Circuit Board Support, L-Style**



Material: Nylon 6/6, RMS-01  
Color: Natural

Part Number	Standard Pack: 1,000 per bag
	"A" ± .015 (0.4)
LCBS-L-5-01	0.3 (7.6)
LCBS-L-6-01	3/8 (9.5)
LCBS-L-7-01	7/16 (11.1)
LCBS-L-8-01	1/2 (12.7)
LCBS-L-9-01	9/16 (14.3)
LCBS-L-10-01	5/8 (15.9)


Installs with a #4 (M-3) Screw or Rivet

Part available in V-0 material by special order. To order, replace -01 with -19.

# CIRCUIT BOARD HARDWARE

## CBS-TMM


Circuit Board Support, Threaded Male-Male



Part Number		Standard Pack: 1000 per bag
Mat'l: Nylon 6/6, RMS-01 Color: Natural	Mat'l: Flame Retardant Nylon, RMS-19 Color: Natural	A ±.015 (0.4)
CBS-TMM-4-01	CBS-TMM-4-19	1/4 (6.4)
CBS-TMM-6-01	CBS-TMM-6-19	3/8 (9.5)
CBS-TMM-8-01	CBS-TMM-8-19	1/2 (12.7)
CBS-TMM-10-01	CBS-TMM-10-19	5/8 (15.9)
CBS-TMM-12-01	CBS-TMM-12-19	3/4 (19.1)
CBS-TMM-14-01	CBS-TMM-14-19	7/8 (22.2)
CBS-TMM-16-01	CBS-TMM-16-19	1 (25.4)
CBS-TMM-M4-XX-01 with M4 thread available by special order. CBS-TMM-M4-XX-01 available in V-0 material by special order. To order, replace -01 with -19.		

## CBS-TFM



Circuit Board Support, Threaded Female-Male



Part Number		Standard Pack: 1000 per bag
Mat'l: Nylon 6/6, RMS-01	Mat'l: Flame Retardant Nylon, RMS-19	"A" ±.015 (0.4)
CBS-TFM-6-01	CBS-TFM-6-19	3/8 (9.5)
CBS-TFM-8-01	CBS-TFM-8-19	1/2 (12.7)
CBS-TFM-10-01	CBS-TFM-10-19	5/8 (15.9)
CBS-TFM-12-01	CBS-TFM-12-19	3/4 (19.1)
CBS-TFM-14-01	CBS-TFM-14-19	7/8 (22.2)
CBS-TFM-16-01	CBS-TFM-16-19	1 (25.4)
CBS-TFM-M4-XX-01 with M4 thread available by special order. CBS-TFM-M4-XX-01 available in V-0 material by special order. To order, replace -01 with -19.		

## HMSPTM



Hex Mini Support Post Threaded Male



Material: Nylon 6/6, RMS-01 • Color: Natural	
Part No.	Standard Pack: 1000 per bag
"A" ±.015 (0.4)	
HMSPTM-2-01	1/8 (3.2)
HMSPTM-3-01	3/16 (4.8)
HMSPTM-4-01	1/4 (6.4)
HMSPTM-6-01	3/8 (9.5)
HMSPTM-8-01	1/2 (12.7)
HMSPTM-10-01	5/8 (15.9)
HMSPTM-12-01	3/4 (19.1)
HMSPTM-14-01	7/8 (22.2)

## TCBS

Screw Mount Circuit Board Support



Material: Nylon 6/6, RMS-01 or Flame Retardant Nylon, RMS-19 / Color: Natural

Nylon Part No.	Flame Retardant Nylon Part No.	Standard Pack: 1000 per bag	
"A" ±.015 (0.4)	Dim B ±.015 (0.4)	13/64 (5.2)	
TCBS-4-01	TCBS-4-19	1/4 (6.4)	13/64 (5.2)
TCBS-6-01	TCBS-6-19	3/8 (9.5)	
TCBS-8-01	TCBS-8-19	1/2 (12.7)	
TCBS-10-01	TCBS-10-19	5/8 (15.9)	
TCBS-12-01	TCBS-12-19	3/4 (19.1)	
TCBS-14-01	TCBS-14-19	7/8 (22.2)	
TCBS-16-01	TCBS-16-19	1 (25.4)	
TCBS-18-01	TCBS-18-19	1 - 1/8 (28.6)	
TCBS-20-01	TCBS-20-19	1 - 1/4 (31.8)	
TCBS-22.5-01	TCBS-22.5-19	1 - 13/32 (35.7)	

# CIRCUIT BOARD HARDWARE


## SSRS

Stackable, Self-Retaining Spacer



### Features

- Board mount head snaps in and maintains spacing even when screw is removed.
- Self-retaining and self-aligning.
- Stackable to provide screw insulation in multi-level applications.




Material: Nylon 6/6, RMS-01  
Color: Natural

Part No.	Standard Pack: 1000 per bag				
	"A"	"B"	"C"	Mounting Hole Dia. ±0.003 (.08)	Screw Size
<b>For #4 (M-3) Screw</b>					
SSRS4-2-01	1/8 (3.2)	.26 (6.6)	1/8 (3.2)	.187 (4.7)	#4
SSRS4-3-01	3/16 (4.8)				
SSRS4-4-01	1/4 (6.4)				
SSRS4-5-01	5/16 (7.9)				
SSRS4-6-01	3/8 (9.5)				
SSRS4-7-01	7/16 (11.1)				
SSRS4-8-01	1/2 (12.7)				
SSRS4-10-01	5/8 (15.9)				
SSRS4-12-01	3/4 (19.1)				
SSRS4-14-01	7/8 (22.2)				
SSRS4-16-01	1 (25.4)				
<b>For #6 (M-3.5) Screw</b>					
SSRS6-4-01	1/4 (6.4)	5/16 (7.9)	.153 (3.9)	.234 (5.9)	#6
SSRS6-5-01	5/16 (7.9)				
SSRS6-6-01	3/8 (9.5)				
SSRS6-7-01	7/16 (11.1)				
SSRS6-8-01	1/2 (12.7)				
SSRS6-10-01	5/8 (15.9)				
SSRS6-12-01	3/4 (19.1)				
SSRS6-14-01	7/8 (22.2)				
SSRS6-16-01	1 (25.4)				
<b>For #8 (M-4) Screw</b>					
SSRS8-4-01	1/4 (6.4)	5/16 (7.9)	.169 (4.3)	.234 (5.9)	#8
SSRS8-5-01	5/16 (7.9)				
SSRS8-6-01	3/8 (9.5)				
SSRS8-7-01	7/16 (11.1)				
SSRS8-8-01	1/2 (12.7)				
SSRS8-10-01	5/8 (15.9)				
SSRS8-12-01	3/4 (19.1)				
SSRS8-14-01	7/8 (22.2)				
SSRS8-16-01	1 (25.4)				


## SRS

Self-Retaining Spacer



### Features

- Board mount head snaps in and maintains spacing even when screw is removed.
- Insulates head of screw from board



Material: Nylon 6/6, RMS-01  
Color: Natural

Part No.	Standard Pack: 1000 per bag				
	"A"	"B"	"C"	Mounting Hole Dia. ±0.003 (.08)	Screw Size
<b>For #4 (M-3) Screw</b>					
SRS4-2-01	1/8 (3.2)	.26 (6.4)	1/8 (3.2)	.187 (4.7)	#4
SRS4-3-01	3/16 (4.8)				
SRS4-4-01	1/4 (6.4)				
SRS4-5-01	5/16 (7.9)				
SRS4-6-01	3/8 (9.5)				
SRS4-7-01	7/16 (11.1)				
SRS4-8-01	1/2 (12.7)				
SRS4-10-01	5/8 (15.9)				
SRS4-12-01	3/4 (19.1)				
SRS4-14-01	7/8 (22.2)				
SRS4-16-01	1 (25.4)				
<b>For #6 (M-3.5) Screw</b>					
SRS6-4-01	1/4 (6.4)	9/32 (7.1)	.153 (3.9)	.234 (5.9)	#6
SRS6-5-01	5/16 (7.9)				
SRS6-6-01	3/8 (9.5)				
SRS6-7-01	7/16 (11.1)				
SRS6-8-01	1/2 (12.7)				
SRS6-10-01	5/8 (15.9)				
SRS6-12-01	3/4 (19.1)				
SRS6-14-01	7/8 (22.2)				
SRS6-16-01	1 (25.4)				
<b>For #8 (M-4) Screw</b>					
SRS8-4-01	1/4 (6.4)	9/32 (7.1)	.169 (4.3)	.234 (5.9)	#8
SRS8-5-01	5/16 (7.9)				
SRS8-6-01	3/8 (9.5)				
SRS8-7-01	7/16 (11.1)				
SRS8-8-01	1/2 (12.7)				
SRS8-10-01	5/8 (15.9)				
SRS8-12-01	3/4 (19.1)				
SRS8-14-01	7/8 (22.2)				
SRS8-16-01	1 (25.4)				