

# M Series Buccaneer



The M Series Buccaneer has been designed to offer flexible connectivity solutions for a variety of **industrial automation** applications. With metal and plastic variants, these **rugged** and **robust** interconnects are ideal for industries that require **secure** and **reliable connections**.

- Available types: M5, M8, M12, M16 & M23
- Plastic and Metal Variants
- Rating from 1A, 30V ac/dc up to 8A, 250V ac/dc
- Overmould cables PVC & PUR
- IP67 Rating
- Cable lengths from 1m - 15m
- A, B and D Coding Options
- Power Distribution Units Available




M5, Rear Panel Mounting



PXMBNI05RPF

- Available in 3 and 4 poles
- PCB or flying lead termination
- Rear panel mounting M7
- Mates with Flex Inline Body connectors




Part Number	Poles	Code	Termination	Lead Length
PXMBNI05RPF3AFL001	3	A	Flying Lead	100 mm Lead Length
PXMBNI05RPF3AFL002	3	A	Flying Lead	200 mm Lead Length
PXMBNI05RPF3AFL003	3	A	Flying Lead	300 mm Lead Length
PXMBNI05RPF4AFL001	4	A	Flying Lead	100 mm Lead Length
PXMBNI05RPF4AFL002	4	A	Flying Lead	200 mm Lead Length
PXMBNI05RPF4AFL003	4	A	Flying Lead	300 mm Lead Length
PXMBNI05RPF3APC	3	A	PCB Terminal	-
PXMBNI05RPF4APC	4	A	PCB Terminal	-

M5, Rear Panel Mounting



PXMBNI05RPM

- Available in 3 and 4 poles
- PCB or flying lead termination
- Rear panel mounting M5
- Mates with Flex Body connectors




Part Number	Poles	Code	Termination	Lead Length
PXMBNI05RPM3AFL001	3	A	Flying Lead	100 mm Lead Length
PXMBNI05RPM3AFL002	3	A	Flying Lead	200 mm Lead Length
PXMBNI05RPM3AFL003	3	A	Flying Lead	300 mm Lead Length
PXMBNI05RPM4AFL001	4	A	Flying Lead	100 mm Lead Length
PXMBNI05RPM4AFL002	4	A	Flying Lead	200 mm Lead Length
PXMBNI05RPM4AFL003	4	A	Flying Lead	300 mm Lead Length
PXMBNI05RPM3APC	3	A	PCB Terminal	-
PXMBNI05RPM4APC	4	A	PCB Terminal	-

M5, Front Panel Mounting



PXMBNI05FPM

- Available in 3 and 4 poles
- PCB or flying lead termination
- Rear panel mounting M5
- Mates with Flex Body connectors



Part Number	Poles	Code	Termination	Lead Length
PXMBNI05FPM3AFL001	3	A	Flying Lead	100 mm Lead Length
PXMBNI05FPM3AFL002	3	A	Flying Lead	200 mm Lead Length
PXMBNI05FPM3AFL003	3	A	Flying Lead	300 mm Lead Length
PXMBNI05FPM4AFL001	4	A	Flying Lead	100 mm Lead Length
PXMBNI05FPM4AFL002	4	A	Flying Lead	200 mm Lead Length
PXMBNI05FPM4AFL003	4	A	Flying Lead	300 mm Lead Length
PXMBNI05FPM3APC	3	A	PCB Terminal	-
PXMBNI05FPM4APC	4	A	PCB Terminal	-


M5, Right Angle, Female, , A-Code, Overmould

- Available in 3 and 4 poles
- 1,2,3,5,10 & 15M cable options
- Overmould Flex Body
- Mates with Flex Inline Body & panel mount connectors



PXPOV205RAF

PXPOV105RAF




Part Number	Poles	Code	Termination	Lead Length	Cable Material
PXPOV105RAF3ACL010PVC	3	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV205RAF3ACL010PUR	3	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV105RAF3ACL020PVC	3	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV205RAF3ACL020PUR	3	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV105RAF3ACL030PVC	3	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV205RAF3ACL030PUR	3	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV105RAF3ACL050PVC	3	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV205RAF3ACL050PUR	3	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV105RAF3ACL100PVC	3	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV205RAF3ACL100PUR	3	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV105RAF3ACL150PVC	3	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV205RAF3ACL150PUR	3	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV105RAF4ACL010PVC	4	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV205RAF4ACL010PUR	4	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV105RAF4ACL020PVC	4	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV205RAF4ACL020PUR	4	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV105RAF4ACL030PVC	4	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV205RAF4ACL030PUR	4	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV105RAF4ACL050PVC	4	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV205RAF4ACL050PUR	4	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV105RAF4ACL100PVC	4	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV205RAF4ACL100PUR	4	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV105RAF4ACL150PVC	4	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV205RAF4ACL150PUR	4	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable

M5, Right Angle, Male, , A-Code, Overmould

- Available in 3 and 4 poles
- 1,2,3,5,10 & 15M cable options
- Overmould Flex Inline Body
- Mates with Flex Body & panel mount connectors



PXPOV205RAM  
PXPOV105RAM




Part Number	Poles	Code	Termination	Lead Length	Cable Material
PXPOV105RAM3ACL010PVC	3	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV205RAM3ACL010PUF	3	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV105RAM3ACL020PVC	3	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV205RAM3ACL020PUF	3	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV105RAM3ACL030PVC	3	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV205RAM3ACL030PUF	3	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV105RAM3ACL050PVC	3	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV205RAM3ACL050PUF	3	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV105RAM3ACL100PVC	3	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV205RAM3ACL100PUF	3	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV105RAM3ACL150PVC	3	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV205RAM3ACL150PUF	3	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV105RAM4ACL010PVC	4	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV205RAM4ACL010PUF	4	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV105RAM4ACL020PVC	4	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV205RAM4ACL020PUF	4	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV105RAM4ACL030PVC	4	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV205RAM4ACL030PUF	4	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV105RAM4ACL050PVC	4	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV205RAM4ACL050PUF	4	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV105RAM4ACL100PVC	4	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV205RAM4ACL100PUF	4	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV105RAM4ACL150PVC	4	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV205RAM4ACL150PUF	4	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable

M5, Flex Body, Female, , A-Code, Overmould



PXPOV205FBF  
PXPOV105FBF

- Available in 3 and 4 poles
- 1,2,3,5,10 & 15M cable options
- Overmould Flex Body
- Mates with Flex Inline Body & panel mount connectors



Part Number	Poles	Code	Termination	Lead Length	Cable Material
PXPOV105FBF3ACL010PVC	3	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV205FBF3ACL010PUR	3	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV105FBF3ACL020PVC	3	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV205FBF3ACL020PUR	3	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV105FBF3ACL030PVC	3	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV205FBF3ACL030PUR	3	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV105FBF3ACL050PVC	3	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV205FBF3ACL050PUR	3	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV105FBF3ACL100PVC	3	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV205FBF3ACL100PUR	3	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV105FBF3ACL150PVC	3	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV205FBF3ACL150PUR	3	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV105FBF4ACL010PVC	4	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV205FBF4ACL010PUR	4	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV105FBF4ACL020PVC	4	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV205FBF4ACL020PUR	4	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV105FBF4ACL030PVC	4	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV205FBF4ACL030PUR	4	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV105FBF4ACL050PVC	4	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV205FBF4ACL050PUR	4	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV105FBF4ACL100PVC	4	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV205FBF4ACL100PUR	4	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV105FBF4ACL150PVC	4	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV205FBF4ACL150PUR	4	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable

M5, Flex Inline Body, Male, , A-Code, Overmould



PXPOV205FIM  
PXPOV105FIM

- Available in 3 and 4 poles
- 1,2,3,5,10 & 15M cable options
- Overmould Flex Inline Body
- Mates with Flex Body & panel mount connectors



Part Number	Poles	Code	Termination	Lead Length	Cable Material
PXPOV105FIM3ACL010PVC	3	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV205FIM3ACL010PUR	3	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV105FIM3ACL020PVC	3	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV205FIM3ACL020PUR	3	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV105FIM3ACL030PVC	3	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV205FIM3ACL030PUR	3	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV105FIM3ACL050PVC	3	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV205FIM3ACL050PUR	3	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV105FIM3ACL100PVC	3	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV205FIM3ACL100PUR	3	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV105FIM3ACL150PVC	3	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV205FIM3ACL150PUR	3	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV105FIM4ACL010PVC	4	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV205FIM4ACL010PUR	4	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV105FIM4ACL020PVC	4	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV205FIM4ACL020PUR	4	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV105FIM4ACL030PVC	4	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV205FIM4ACL030PUR	4	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV105FIM4ACL050PVC	4	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV205FIM4ACL050PUR	4	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV105FIM4ACL100PVC	4	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV205FIM4ACL100PUR	4	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV105FIM4ACL150PVC	4	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV205FIM4ACL150PUR	4	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable

**Electrical:**

No. Poles	3	4
Current Rating	1A	1A
Voltage Rating (ac/dc)	60V	60V
Contact Resistance	<10mΩ	
Insulation Resistance	>100MΩ	
AC Breakdown Voltage		
3 Pole	1.5KV	
4 Pole	1.5KV	
Operating Temp Range	-25°C to 80°C	
Approvals	Pending	

**Mechanical:**

Locking mechanism	Screw coupling
Sealing	IP67
Terminations	
3 Pole	Single wire / PCB / Cable
4 Pole	Single wire / PCB / Cable
Mechanical Operation	500 mating cycles
Diameter over coupling ring 6.5mm	

**Materials:**

**Panel Mount**

**Cable Connectors**

Body	Nickel Plated Brass	Nickel Plated Brass
Coupling Nut	Nickel Plated Brass	Black
Colour	Grey	Brass, Gold plating
Pin Contacts	Brass, Gold plating	Phosphor Bronze, Gold plating
Socket Contacts	Phosphor Bronze, Gold plating	
O Rings & Gaskets		
RoHS	Compliant	Compliant

MX	XXX	XX	XX	X	XX	X	XX	XXX	XXX	XXX
Series	Material	Series Size	Body Style	Orientation	No. Contacts	Code	Termination	Mounting / Gland Nut Thread	Lead Length	Cable Material
PXM	BNI = Brass Nickel	05	FB = Flex Body	M	03	A	PC = PCB	M05	001	PUR
PXP	PUR = Overmould for PUR PVC = Overmould for PVC		FI = Flex Inline Body FP = Front Panel Mounting RP = Rear Panel Mounting RA = Right Angle	F	04		FL = Flying Lead CL = Cable	M07	002 003 010 020 030 050 100 150	PVC




M8, Rear Panel Mounting, Male



PXMBNI08RPM

- Available in 3, 4 and 5 poles
- PCB or flying lead termination
- Rear panel mounting M8
- Mates with Flex Body connectors




Part Number	Poles	Code	Termination	Lead Length
PXMBNI08RPM3APC	3	A	PCB Terminal	-
PXMBNI08RPM4APC	4	A	PCB Terminal	-
PXMBNI08RPM5BPC	5	B	PCB Terminal	-
PXMBNI08RPM3AFL001	3	A	Flying Lead	100 mm Lead Length
PXMBNI08RPM3AFL002	3	A	Flying Lead	200 mm Lead Length
PXMBNI08RPM3AFL003	3	A	Flying Lead	300 mm Lead Length
PXMBNI08RPM4AFL001	4	A	Flying Lead	100 mm Lead Length
PXMBNI08RPM4AFL002	4	A	Flying Lead	200 mm Lead Length
PXMBNI08RPM4AFL003	4	A	Flying Lead	300 mm Lead Length
PXMBNI08RPM5BFL001	5	B	Flying Lead	100 mm Lead Length
PXMBNI08RPM5BFL002	5	B	Flying Lead	200 mm Lead Length
PXMBNI08RPM5BFL003	5	B	Flying Lead	300 mm Lead Length

M8, Rear Panel Mounting, Female



PXMBNI08RPF

- Available in 3, 4 and 5 poles
- PCB or flying lead termination
- Rear panel mounting M11
- Mates with Flex Inline Body connectors




Part Number	Poles	Code	Termination	Lead Length
PXMBNI08RPF3APC	3	A	PCB Terminal	-
PXMBNI08RPF4APC	4	A	PCB Terminal	-
PXMBNI08RPF5BPC	5	B	PCB Terminal	-
PXMBNI08RPF3AFL001	3	A	Flying Lead	100 mm Lead Length
PXMBNI08RPF3AFL002	3	A	Flying Lead	200 mm Lead Length
PXMBNI08RPF3AFL003	3	A	Flying Lead	300 mm Lead Length
PXMBNI08RPF4AFL001	4	A	Flying Lead	100 mm Lead Length
PXMBNI08RPF4AFL002	4	A	Flying Lead	200 mm Lead Length
PXMBNI08RPF4AFL003	4	A	Flying Lead	300 mm Lead Length
PXMBNI08RPF5BFL001	5	B	Flying Lead	100 mm Lead Length
PXMBNI08RPF5BFL002	5	B	Flying Lead	200 mm Lead Length
PXMBNI08RPF5BFL003	5	B	Flying Lead	300 mm Lead Length

M8, Front Panel Mounting, Female



PXMBNI08FPF

- Available in 3, 4 and 5 poles
- Flying lead termination
- Front panel mounting M8
- Mates with Flex Inline Body connectors




Part Number	Poles	Code	Termination	Lead Length
PXMBNI08FPF3AFL001	3	A	Flying Lead	100 mm Lead Length
PXMBNI08FPF3AFL002	3	A	Flying Lead	200 mm Lead Length
PXMBNI08FPF3AFL003	3	A	Flying Lead	300 mm Lead Length
PXMBNI08FPF4AFL001	4	A	Flying Lead	100 mm Lead Length
PXMBNI08FPF4AFL002	4	A	Flying Lead	200 mm Lead Length
PXMBNI08FPF4AFL003	4	A	Flying Lead	300 mm Lead Length
PXMBNI08FPF5BFL001	5	B	Flying Lead	100 mm Lead Length
PXMBNI08FPF5BFL002	5	B	Flying Lead	200 mm Lead Length
PXMBNI08FPF5BFL003	5	B	Flying Lead	300 mm Lead Length

M8, Front Panel Mounting, Male



PXMBNI08FPM

- Available in 3, 4 and 5 poles
- Flying lead termination
- Front panel mounting M8
- Mates with Flex Body connectors



Part Number	Poles	Code	Termination	Lead Length
PXMBNI08FPM3AFL001	3	A	Flying Lead	100 mm Lead Length
PXMBNI08FPM3AFL002	3	A	Flying Lead	200 mm Lead Length
PXMBNI08FPM3AFL003	3	A	Flying Lead	300 mm Lead Length
PXMBNI08FPM4AFL001	4	A	Flying Lead	100 mm Lead Length
PXMBNI08FPM4AFL002	4	A	Flying Lead	200 mm Lead Length
PXMBNI08FPM4AFL003	4	A	Flying Lead	300 mm Lead Length
PXMBNI08FPM5BFL001	5	B	Flying Lead	100 mm Lead Length
PXMBNI08FPM5BFL002	5	B	Flying Lead	200 mm Lead Length
PXMBNI08FPM5BFL003	5	B	Flying Lead	300 mm Lead Length

# BUCCANEER M8 Series




M8, Flex Inline Body, Male



PXPPAM08FIM

- Available in 3 and 4 poles
- Screw termination
- Plastic flex inline body
- Mates with Flex Body and panel mount connectors




Part Number	Poles	Code	Termination
PXPPAM08FIM3ASTPG7	3	A	Screw Terminal
PXPPAM08FIM4ASTPG7	4	A	Screw Terminal

M8, Flex Body, Female



PXPPAM08FBF

- Available in 3 and 4 poles
- Screw termination
- Plastic flex body
- Mates with Flex inline body and panel mount connectors




Part Number	Poles	Code	Termination
PXPPAM08FBF3ASTPG7	3	A	Screw Terminal
PXPPAM08FBF4ASTPG7	4	A	Screw Terminal

Brass - Nickel Plating, M8, Flex Inline Body



PXMBNI08FIM

- Available in 3, 4 and 5 poles
- Solder termination
- Metal flex inline body
- Mates with Flex Body and panel mount connectors





Part Number	Poles	Code	Termination
PXMBNI08FIM3ASCPG7	3	A	Solder Terminal
PXMBNI08FIM4ASCPG7	4	A	Solder Terminal
PXMBNI08FIM5BSCPG7	5	B	Solder Terminal

Brass - Nickel Plating, M8, Flex Body



PXMBNI08FBF

- Available in 3, 4 and 5 poles
- Solder termination
- Metal flex body
- Mates with Flex inline body and panel mount connectors




Part Number	Poles	Code	Termination
PXMBNI08FBF3ASCPG7	3	A	Solder Terminal
PXMBNI08FBF4ASCPG7	4	A	Solder Terminal
PXMBNI08FBF5BSCPG7	5	B	Solder Terminal

M8, Right Angle, Female, , A-Code, Overmould

- Available in 3, 4 and 5 poles
- 1,2,3,5,10 & 15M cable options
- Overmould Flex Body
- Mates with Flex Inline Body & panel mount connectors



PXPOV208RAF  
PXPOV108RAF



Part Number	Poles	Code	Termination	Lead Length	Cable Material
PXPOV108RAF3ACL010PVC	3	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV208RAF3ACL010PUR	3	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV108RAF3ACL020PVC	3	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV208RAF3ACL020PUR	3	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV108RAF3ACL030PVC	3	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV208RAF3ACL030PUR	3	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV108RAF3ACL050PVC	3	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV208RAF3ACL050PUR	3	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV108RAF3ACL100PVC	3	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV208RAF3ACL100PUR	3	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV108RAF3ACL150PVC	3	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV208RAF3ACL150PUR	3	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV108RAF4ACL010PVC	4	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV208RAF4ACL010PUR	4	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV108RAF4ACL020PVC	4	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV208RAF4ACL020PUR	4	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV108RAF4ACL030PVC	4	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV208RAF4ACL030PUR	4	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV108RAF4ACL050PVC	4	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV208RAF4ACL050PUR	4	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV108RAF4ACL100PVC	4	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV208RAF4ACL100PUR	4	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV108RAF4ACL150PVC	4	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV208RAF4ACL150PUR	4	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV108RAF5BCL010PVC	5	B	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV208RAF5BCL010PUR	5	B	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV108RAF5BCL020PVC	5	B	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV208RAF5BCL020PUR	5	B	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV108RAF5BCL030PVC	5	B	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV208RAF5BCL030PUR	5	B	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV108RAF5BCL050PVC	5	B	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV208RAF5BCL050PUR	5	B	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV108RAF5BCL100PVC	5	B	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV208RAF5BCL100PUR	5	B	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV108RAF5BCL150PVC	5	B	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV208RAF5BCL150PUR	5	B	Overmould Cable	15 M Lead Length	PUR Jacket Cable

BUCCANEER  
M8 Series




M8, Right Angle, Male, , A-Code, Overmould

- Available in 3, 4 and 5 poles
- 1,2,3,5,10 & 15M cable options
- Overmould Flex inline body
- Mates with Flex Body & panel mount connectors



↳ PXPOV208RAM  
PXPOV108RAM




Part Number	Poles	Code	Termination	Lead Length	Cable Material
PXPOV108RAM3ACL010PVC	3	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV208RAM3ACL010PUF	3	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV108RAM3ACL020PVC	3	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV208RAM3ACL020PUF	3	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV108RAM3ACL030PVC	3	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV208RAM3ACL030PUF	3	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV108RAM3ACL050PVC	3	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV208RAM3ACL050PUF	3	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV108RAM3ACL100PVC	3	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV208RAM3ACL100PUF	3	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV108RAM3ACL150PVC	3	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV208RAM3ACL150PUF	3	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV108RAM4ACL010PVC	4	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV208RAM4ACL010PUF	4	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV108RAM4ACL020PVC	4	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV208RAM4ACL020PUF	4	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV108RAM4ACL030PVC	4	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV208RAM4ACL030PUF	4	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV108RAM4ACL050PVC	4	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV208RAM4ACL050PUF	4	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV108RAM4ACL100PVC	4	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV208RAM4ACL100PUF	4	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV108RAM4ACL150PVC	4	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV208RAM4ACL150PUF	4	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV108RAM5BCL010PVC	5	B	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV208RAM5BCL010PUF	5	B	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV108RAM5BCL020PVC	5	B	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV208RAM5BCL020PUF	5	B	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV108RAM5BCL030PVC	5	B	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV208RAM5BCL030PUF	5	B	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV108RAM5BCL050PVC	5	B	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV208RAM5BCL050PUF	5	B	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV108RAM5BCL100PVC	5	B	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV208RAM5BCL100PUF	5	B	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV108RAM5BCL150PVC	5	B	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV208RAM5BCL150PUF	5	B	Overmould Cable	15 M Lead Length	PUR Jacket Cable

M8, Flex Body, Female, , A-Code, Overmould



PXPOV208FBF  
PXPOV108FBF

- Available in 3, 4 and 5 poles
- 1,2,3,5,10 & 15M cable options
- Overmould Flex Body
- Mates with Flex Inline Body & panel mount connectors




Part Number	Poles	Code	Termination	Lead Length	Cable Material
PXPOV108FBF3ACL010PVC	3	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV208FBF3ACL010PUR	3	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV108FBF3ACL020PVC	3	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV208FBF3ACL020PUR	3	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV108FBF3ACL030PVC	3	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV208FBF3ACL030PUR	3	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV108FBF3ACL050PVC	3	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV208FBF3ACL050PUR	3	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV108FBF3ACL100PVC	3	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV208FBF3ACL100PUR	3	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV108FBF3ACL150PVC	3	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV208FBF3ACL150PUR	3	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV108FBF4ACL010PVC	4	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV208FBF4ACL010PUR	4	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV108FBF4ACL020PVC	4	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV208FBF4ACL020PUR	4	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV108FBF4ACL030PVC	4	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV208FBF4ACL030PUR	4	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV108FBF4ACL050PVC	4	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV208FBF4ACL050PUR	4	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV108FBF4ACL100PVC	4	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV208FBF4ACL100PUR	4	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV108FBF4ACL150PVC	4	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV208FBF4ACL150PUR	4	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV108FBF5BCL010PVC	5	B	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV208FBF5BCL010PUR	5	B	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV108FBF5BCL020PVC	5	B	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV208FBF5BCL020PUR	5	B	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV108FBF5BCL030PVC	5	B	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV208FBF5BCL030PUR	5	B	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV108FBF5BCL050PVC	5	B	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV208FBF5BCL050PUR	5	B	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV108FBF5BCL100PVC	5	B	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV208FBF5BCL100PUR	5	B	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV108FBF5BCL150PVC	5	B	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV208FBF5BCL150PUR	5	B	Overmould Cable	15 M Lead Length	PUR Jacket Cable

M8, Flex Inline Body, Male, , A-Code, Overmould

- Available in 3, 4 and 5 poles
- 1,2,3,5,10 & 15M cable options
- Overmould Flex inline body
- Mates with Flex Body & panel mount connectors



PXPOV208FIM  
PXPOV108FIM



Part Number	Poles	Code	Termination	Lead Length	Cable Material
PXPOV108FIM3ACL010PVC	3	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV208FIM3ACL010PUR	3	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV108FIM3ACL020PVC	3	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV208FIM3ACL020PUR	3	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV108FIM3ACL030PVC	3	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV208FIM3ACL030PUR	3	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV108FIM3ACL050PVC	3	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV208FIM3ACL050PUR	3	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV108FIM3ACL100PVC	3	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV208FIM3ACL100PUR	3	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV108FIM3ACL150PVC	3	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV208FIM3ACL150PUR	3	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV108FIM4ACL010PVC	4	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV208FIM4ACL010PUR	4	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV108FIM4ACL020PVC	4	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV208FIM4ACL020PUR	4	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV108FIM4ACL030PVC	4	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV208FIM4ACL030PUR	4	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV108FIM4ACL050PVC	4	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV208FIM4ACL050PUR	4	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV108FIM4ACL100PVC	4	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV208FIM4ACL100PUR	4	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV108FIM4ACL150PVC	4	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV208FIM4ACL150PUR	4	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV108FIM5BCL010PVC	5	B	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV208FIM5BCL010PUR	5	B	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV108FIM5BCL020PVC	5	B	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV208FIM5BCL020PUR	5	B	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV108FIM5BCL030PVC	5	B	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV208FIM5BCL030PUR	5	B	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV108FIM5BCL050PVC	5	B	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV208FIM5BCL050PUR	5	B	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV108FIM5BCL100PVC	5	B	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV208FIM5BCL100PUR	5	B	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV108FIM5BCL150PVC	5	B	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV208FIM5BCL150PUR	5	B	Overmould Cable	15 M Lead Length	PUR Jacket Cable



**Electrical:**

No. Poles	3	4	5
Current Rating	3A	3A	1.5A
Voltage Rating (ac/dc)	60V	30V	30V
Contact Resistance	<10mΩ		
Insulation Resistance	>100MΩ		
AC Breakdown Voltage			
3 Pole	1.5KV		
4 Pole	0.8KV		
5 Pole	0.8KV		
Operating Temp Range	-25°C to 80°C		
Approvals	Pending		

**Mechanical:**

Locking mechanism	Screw coupling
Sealing	IP67
Contact Accomodation	
3 Pole	28AWG-22AWG
4 Pole	28AWG-22AWG
5 Pole	28AWG-22AWG
Cable Acceptance	3.0 - 3.5 mm Dia
Terminations	
3 Pole	Single wire / PCB / Cable
4 Pole	Single wire / PCB / Cable
5 Pole	Single wire / PCB / Cable
Mechanical Operation	500 mating cycles
Diameter over coupling ring	12.5mm

**Materials:**

**Panel Mount**

**Cable Connectors**

**Flex & Inline Connectors**

Body	Nickel Plated Brass	TPU / PVC	Nickel Plated Brass / PA66
Coupling Nut	Nickel Plated Brass	Nickel Plated Brass	Nickel Plated Brass
Colour	Grey	Black	Black or Grey
Pin Contacts	Brass, Gold plating	Brass, Gold plating	Brass, Gold plating
Socket Contacts	Phosphor Bronze, Gold plating	Phosphor Bronze, Gold plating	Phosphor Bronze, Gold plating
O Rings & Gaskets			
RoHS	Compliant	Compliant	Compliant


MX	XXX	XX	XX	X	XX	X	XX	XXX	XXX	XXX
Series	Material	Series Size	Body Style	Orientation	No. Contacts	Code	Termination	Mounting / Gland Nut Thread	Lead Length	Cable Material
PXM	BNI = Brass Nickel	08	FB = Flex Body	M	03	A	ST = Screw Terminal	PG7	001	PUR
PXP	PAM = Polyamide		FI = Flex Inline Body	F	04	B	PC = PCB		002	PVC
	PUR = Overmould for PUR		FP = Front Panel Mounting		05		FL = Flying Lead		003	
	PVC = Overmould for PVC		RP = Rear Panel Mounting				CL = Cable		010	
			RA = Right Angle				SC = Solder		020	
									030	
									050	
									100	
									150	

M12, Rear Panel Mounting, Male



PXMBNI12RPM

- 3, 4, 5, 8 and 12 poles
- PCB termination
- Rear panel mounting M12
- Mates with Flex Body connectors




Part Number	Poles	Code	Termination	Mounting Nut
PXMBNI12RPM3APCPG9	3	A	PCB Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12RPM4APCPG9	4	A	PCB Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12RPM5APCPG9	5	A	PCB Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12RPM8APCPG9	8	A	PCB Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12RPM12APCPG9	12	A	PCB Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12RPM5BPCPG9	5	B	PCB Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12RPM4DPCPG9	4	D	PCB Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12RPM3APCM16	3	A	PCB Terminal	M16 Mounting / Gland Nut Thread
PXMBNI12RPM4APCM16	4	A	PCB Terminal	M16 Mounting / Gland Nut Thread
PXMBNI12RPM5APCM16	5	A	PCB Terminal	M16 Mounting / Gland Nut Thread
PXMBNI12RPM8APCM16	8	A	PCB Terminal	M16 Mounting / Gland Nut Thread
PXMBNI12RPM12APCM16	12	A	PCB Terminal	M16 Mounting / Gland Nut Thread
PXMBNI12RPM5BPCM16	5	B	PCB Terminal	M16 Mounting / Gland Nut Thread
PXMBNI12RPM4DPCM16	4	D	PCB Terminal	M16 Mounting / Gland Nut Thread
PXMBNI12RPM3APCM12	3	A	PCB Terminal	M12 Mounting / Gland Nut Thread
PXMBNI12RPM4APCM12	4	A	PCB Terminal	M12 Mounting / Gland Nut Thread
PXMBNI12RPM5APCM12	5	A	PCB Terminal	M12 Mounting / Gland Nut Thread
PXMBNI12RPM8APCM12	8	A	PCB Terminal	M12 Mounting / Gland Nut Thread
PXMBNI12RPM12APCM12	12	A	PCB Terminal	M12 Mounting / Gland Nut Thread
PXMBNI12RPM5BPCM12	5	B	PCB Terminal	M12 Mounting / Gland Nut Thread
PXMBNI12RPM4DPCM12	4	D	PCB Terminal	M12 Mounting / Gland Nut Thread

M12, Rear Panel Mounting, Female



PXMBNI12RPF

- 3, 4, 5, 8 and 12 poles
- PCB termination
- Rear panel mounting PG9
- Mates with Flex inline body connectors




Part Number	Poles	Code	Termination	Mounting Nut
PXMBNI12RPF3APCPG9	3	A	PCB Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12RPF4APCPG9	4	A	PCB Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12RPF5APCPG9	5	A	PCB Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12RPF8APCPG9	8	A	PCB Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12RPF12APCPG9	12	A	PCB Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12RPF5BPCPG9	5	B	PCB Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12RPF4DPCPG9	4	D	PCB Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12RPF3APCM16	3	A	PCB Terminal	M16 Mounting / Gland Nut Thread
PXMBNI12RPF4APCM16	4	A	PCB Terminal	M16 Mounting / Gland Nut Thread
PXMBNI12RPF5APCM16	5	A	PCB Terminal	M16 Mounting / Gland Nut Thread
PXMBNI12RPF8APCM16	8	A	PCB Terminal	M16 Mounting / Gland Nut Thread
PXMBNI12RPF12APCM16	12	A	PCB Terminal	M16 Mounting / Gland Nut Thread
PXMBNI12RPF5BPCM16	5	B	PCB Terminal	M16 Mounting / Gland Nut Thread
PXMBNI12RPF4DPCM16	4	D	PCB Terminal	M16 Mounting / Gland Nut Thread

M12, Flex Inline Body, Male



PXPPAM12FIM

- 3, 4, 5 and 8 poles
- Screw termination
- Plastic flex inline body
- Mates with Flex body and panel mount connectors



Part Number	Poles	Code	Termination
PXPPAM12FIM3ASTPG9	3	A	Screw Terminal
PXPPAM12FIM4ASTPG9	4	A	Screw Terminal
PXPPAM12FIM5ASTPG9	5	A	Screw Terminal
PXPPAM12FIM8ASTPG9	8	A	Screw Terminal

# BUCCANEER M12 Series




M12, Flex Body, Female



**PXPPAM12FBF**

- 3, 4, 5 and 8 poles
- Screw termination
- Plastic flex body
- Mates with Flex inline body and panel mount connectors




Part Number	Poles	Code	Termination
PXPPAM12FBF3ASTPG9	3	A	Screw Terminal
PXPPAM12FBF4ASTPG9	4	A	Screw Terminal
PXPPAM12FBF5ASTPG9	5	A	Screw Terminal
PXPPAM12FBF8ASTPG9	8	A	Screw Terminal

M12, Right Angle, Male



**PXPPAM12RAM**

- 3, 4, 5 and 8 poles
- Screw termination
- Plastic flex inline body
- Mates with Flex body and panel mount connectors




Part Number	Poles	Code	Termination
PXPPAM12RAM3ASTPG9	3	A	Screw Terminal
PXPPAM12RAM4ASTPG9	4	A	Screw Terminal
PXPPAM12RAM5ASTPG9	5	A	Screw Terminal
PXPPAM12RAM8ASTPG9	8	A	Screw Terminal

M12, Right Angle, Female



**PXPPAM12RAF**

- 3, 4, 5 and 8 poles
- Screw termination
- Plastic flex body
- Mates with Flex inline body and panel mount connectors




Part Number	Poles	Code	Termination
PXPPAM12RAF3ASTPG9	3	A	Screw Terminal
PXPPAM12RAF4ASTPG9	4	A	Screw Terminal
PXPPAM12RAF5ASTPG9	5	A	Screw Terminal
PXPPAM12RAF8ASTPG9	8	A	Screw Terminal

Nickel Plating, M12, Flex Inline Body



PXMBNI12FIM

- 3, 4, 5, 8 and 12 poles
- Solder termination
- Metal flex inline body
- Mates with Flex body and panel mount connectors




Part Number	Poles	Code	Termination	Mounting Nut
PXMBNI12FIM3ASCPG7	3	A	Solder Terminal	PG7 Mounting / Gland Nut Thread
PXMBNI12FIM4ASCPG7	4	A	Solder Terminal	PG7 Mounting / Gland Nut Thread
PXMBNI12FIM5ASCPG7	5	A	Solder Terminal	PG7 Mounting / Gland Nut Thread
PXMBNI12FIM8ASCPG7	8	A	Solder Terminal	PG7 Mounting / Gland Nut Thread
PXMBNI12FIM12ASCPG7	12	A	Solder Terminal	PG7 Mounting / Gland Nut Thread
PXMBNI12FIM5BSCPG7	5	B	Solder Terminal	PG7 Mounting / Gland Nut Thread
PXMBNI12FIM4DSCPG7	4	D	Solder Terminal	PG7 Mounting / Gland Nut Thread
PXMBNI12FIM3ASCPG9	3	A	Solder Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12FIM4ASCPG9	4	A	Solder Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12FIM5ASCPG9	5	A	Solder Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12FIM8ASCPG9	8	A	Solder Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12FIM12ASCPG9	12	A	Solder Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12FIM5BSCPG9	5	B	Solder Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12FIM4DSCPG9	4	D	Solder Terminal	PG9 Mounting / Gland Nut Thread

Nickel Plating, M12, Flex Body



PXMBNI12FBF

- 3, 4, 5, 8 and 12 poles
- Solder termination
- Metal flex body
- Mates with Flex inline body and panel mount connectors




Part Number	Poles	Code	Termination	Mounting Nut
PXMBNI12FBF3ASCPG7	3	A	Solder Terminal	PG7 Mounting / Gland Nut Thread
PXMBNI12FBF4ASCPG7	4	A	Solder Terminal	PG7 Mounting / Gland Nut Thread
PXMBNI12FBF5ASCPG7	5	A	Solder Terminal	PG7 Mounting / Gland Nut Thread
PXMBNI12FBF8ASCPG7	8	A	Solder Terminal	PG7 Mounting / Gland Nut Thread
PXMBNI12FBF12ASCPG7	12	A	Solder Terminal	PG7 Mounting / Gland Nut Thread
PXMBNI12FBF5BSCPG7	5	B	Solder Terminal	PG7 Mounting / Gland Nut Thread
PXMBNI12FBF4DSCPG7	4	D	Solder Terminal	PG7 Mounting / Gland Nut Thread
PXMBNI12FBF3ASCPG9	3	A	Solder Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12FBF4ASCPG9	4	A	Solder Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12FBF5ASCPG9	5	A	Solder Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12FBF8ASCPG9	8	A	Solder Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12FBF12ASCPG9	12	A	Solder Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12FBF5BSCPG9	5	B	Solder Terminal	PG9 Mounting / Gland Nut Thread
PXMBNI12FBF4DSCPG9	4	D	Solder Terminal	PG9 Mounting / Gland Nut Thread

M12, Right Angle, Female, , A-Code, Overmould

- 3, 4, 5, 8 and 12 poles
- 1,2,3,5,10 & 15M cable options
- Overmould Flex Body
- Mates with Flex Inline Body & panel mount connectors



PXPOV212RAF  
PXPOV112RAF



Part Number	Poles	Code	Termination	Lead Length	Cable Material
PXPOV112RAF3ACL010PVC	3	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212RAF3ACL010PUR	3	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV112RAF3ACL020PVC	3	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212RAF3ACL020PUR	3	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112RAF3ACL030PVC	3	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212RAF3ACL030PUR	3	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112RAF3ACL050PVC	3	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212RAF3ACL050PUR	3	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112RAF3ACL100PVC	3	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212RAF3ACL100PUR	3	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112RAF3ACL150PVC	3	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212RAF3ACL150PUR	3	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV112RAF4ACL010PVC	4	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212RAF4ACL010PUR	4	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV112RAF4ACL020PVC	4	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212RAF4ACL020PUR	4	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112RAF4ACL030PVC	4	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212RAF4ACL030PUR	4	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112RAF4ACL050PVC	4	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212RAF4ACL050PUR	4	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112RAF4ACL100PVC	4	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212RAF4ACL100PUR	4	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112RAF4ACL150PVC	4	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212RAF4ACL150PUR	4	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV112RAF5ACL010PVC	5	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212RAF5ACL010PUR	5	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV112RAF5ACL020PVC	5	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212RAF5ACL020PUR	5	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112RAF5ACL030PVC	5	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212RAF5ACL030PUR	5	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112RAF5ACL050PVC	5	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212RAF5ACL050PUR	5	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112RAF5ACL100PVC	5	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212RAF5ACL100PUR	5	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112RAF5ACL150PVC	5	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212RAF5ACL150PUR	5	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV112RAF8ACL010PVC	8	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212RAF8ACL010PUR	8	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable


PXPOV112RAF8ACL020PVC	8	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212RAF8ACL020PUR	8	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112RAF8ACL030PVC	8	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212RAF8ACL030PUR	8	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112RAF8ACL050PVC	8	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212RAF8ACL050PUR	8	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112RAF8ACL100PVC	8	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212RAF8ACL100PUR	8	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112RAF8ACL150PVC	8	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212RAF8ACL150PUR	8	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV112RAF12ACL010PVC	12	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212RAF12ACL010PUR	12	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV112RAF12ACL020PVC	12	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212RAF12ACL020PUR	12	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112RAF12ACL030PVC	12	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212RAF12ACL030PUR	12	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112RAF12ACL050PVC	12	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212RAF12ACL050PUR	12	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112RAF12ACL100PVC	12	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212RAF12ACL100PUR	12	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112RAF12ACL150PVC	12	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212RAF12ACL150PUR	12	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV112RAF5BCL010PVC	5	B	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212RAF5BCL010PUR	5	B	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV112RAF5BCL020PVC	5	B	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212RAF5BCL020PUR	5	B	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112RAF5BCL030PVC	5	B	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212RAF5BCL030PUR	5	B	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112RAF5BCL050PVC	5	B	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212RAF5BCL050PUR	5	B	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112RAF5BCL100PVC	5	B	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212RAF5BCL100PUR	5	B	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112RAF5BCL150PVC	5	B	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212RAF5BCL150PUR	5	B	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV112RAF4DCL010PVC	4	D	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212RAF4DCL010PUR	4	D	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV112RAF4DCL020PVC	4	D	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212RAF4DCL020PUR	4	D	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112RAF4DCL030PVC	4	D	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212RAF4DCL030PUR	4	D	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112RAF4DCL050PVC	4	D	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212RAF4DCL050PUR	4	D	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112RAF4DCL100PVC	4	D	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212RAF4DCL100PUR	4	D	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112RAF4DCL150PVC	4	D	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212RAF4DCL150PUR	4	D	Overmould Cable	15 M Lead Length	PUR Jacket Cable

M12, Flex Body, Female, , A-Code, Overmould



PXPOV212FBF  
PXPOV112FBF

- 3, 4, 5, 8 and 12 poles
- 1,2,3,5,10 & 15M cable options
- Overmould Flex Body
- Mates with Flex Inline Body & panel mount connectors



Part Number	Poles	Code	Termination	Lead Length	Cable Material
PXPOV112FBF3ACL010PVC	3	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212FBF3ACL010PUR	3	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV112FBF3ACL020PVC	3	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212FBF3ACL020PUR	3	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112FBF3ACL030PVC	3	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212FBF3ACL030PUR	3	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112FBF3ACL050PVC	3	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212FBF3ACL050PUR	3	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112FBF3ACL100PVC	3	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212FBF3ACL100PUR	3	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112FBF3ACL150PVC	3	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212FBF3ACL150PUR	3	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV112FBF4ACL010PVC	4	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212FBF4ACL010PUR	4	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV112FBF4ACL020PVC	4	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212FBF4ACL020PUR	4	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112FBF4ACL030PVC	4	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212FBF4ACL030PUR	4	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112FBF4ACL050PVC	4	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212FBF4ACL050PUR	4	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112FBF4ACL100PVC	4	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212FBF4ACL100PUR	4	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112FBF4ACL150PVC	4	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212FBF4ACL150PUR	4	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV112FBF5ACL010PVC	5	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212FBF5ACL010PUR	5	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV112FBF5ACL020PVC	5	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212FBF5ACL020PUR	5	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112FBF5ACL030PVC	5	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212FBF5ACL030PUR	5	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112FBF5ACL050PVC	5	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212FBF5ACL050PUR	5	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112FBF5ACL100PVC	5	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212FBF5ACL100PUR	5	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112FBF5ACL150PVC	5	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212FBF5ACL150PUR	5	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV112FBF8ACL010PVC	8	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212FBF8ACL010PUR	8	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable



PXPOV112FBF8ACL020PVC	8	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212FBF8ACL020PUR	8	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112FBF8ACL030PVC	8	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212FBF8ACL030PUR	8	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112FBF8ACL050PVC	8	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212FBF8ACL050PUR	8	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112FBF8ACL100PVC	8	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212FBF8ACL100PUR	8	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112FBF8ACL150PVC	8	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212FBF8ACL150PUR	8	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV112FBF12ACL010PVC	12	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212FBF12ACL010PUR	12	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV112FBF12ACL020PVC	12	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212FBF12ACL020PUR	12	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112FBF12ACL030PVC	12	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212FBF12ACL030PUR	12	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112FBF12ACL050PVC	12	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212FBF12ACL050PUR	12	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112FBF12ACL100PVC	12	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212FBF12ACL100PUR	12	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112FBF12ACL150PVC	12	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212FBF12ACL150PUR	12	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV112FBF5BCL010PVC	5	B	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212FBF5BCL010PUR	5	B	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV112FBF5BCL020PVC	5	B	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212FBF5BCL020PUR	5	B	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112FBF5BCL030PVC	5	B	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212FBF5BCL030PUR	5	B	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112FBF5BCL050PVC	5	B	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212FBF5BCL050PUR	5	B	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112FBF5BCL100PVC	5	B	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212FBF5BCL100PUR	5	B	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112FBF5BCL150PVC	5	B	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212FBF5BCL150PUR	5	B	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV112FBF4DCL010PVC	4	D	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212FBF4DCL010PUR	4	D	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV112FBF4DCL020PVC	4	D	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212FBF4DCL020PUR	4	D	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112FBF4DCL030PVC	4	D	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212FBF4DCL030PUR	4	D	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112FBF4DCL050PVC	4	D	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212FBF4DCL050PUR	4	D	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112FBF4DCL100PVC	4	D	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212FBF4DCL100PUR	4	D	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112FBF4DCL150PVC	4	D	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212FBF4DCL150PUR	4	D	Overmould Cable	15 M Lead Length	PUR Jacket Cable


M12, Right Angle, Male, , A-Code, Overmould

- 3, 4, 5, 8 and 12 poles
- 1,2,3,5,10 & 15M cable options
- Overmould Flex inline body
- Mates with Flex Body & panel mount connectors



PXPOV212RAM

PXPOV112RAM



Part Number	Poles	Code	Termination	Lead Length	Cable Material
PXPOV112RAM3ACL010PVC	3	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212RAM3ACL010PUR	3	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV112RAM3ACL020PVC	3	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212RAM3ACL020PUR	3	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112RAM3ACL030PVC	3	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212RAM3ACL030PUR	3	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112RAM3ACL050PVC	3	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212RAM3ACL050PUR	3	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112RAM3ACL100PVC	3	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212RAM3ACL100PUR	3	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112RAM3ACL150PVC	3	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212RAM3ACL150PUR	3	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV112RAM4ACL010PVC	4	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212RAM4ACL010PUR	4	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV112RAM4ACL020PVC	4	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212RAM4ACL020PUR	4	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112RAM4ACL030PVC	4	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212RAM4ACL030PUR	4	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112RAM4ACL050PVC	4	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212RAM4ACL050PUR	4	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112RAM4ACL100PVC	4	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212RAM4ACL100PUR	4	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112RAM4ACL150PVC	4	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212RAM4ACL150PUR	4	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV112RAM5ACL010PVC	5	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212RAM5ACL010PUR	5	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV112RAM5ACL020PVC	5	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212RAM5ACL020PUR	5	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112RAM5ACL030PVC	5	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212RAM5ACL030PUR	5	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112RAM5ACL050PVC	5	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212RAM5ACL050PUR	5	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112RAM5ACL100PVC	5	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212RAM5ACL100PUR	5	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112RAM5ACL150PVC	5	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212RAM5ACL150PUR	5	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV112RAM8ACL010PVC	8	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212RAM8ACL010PUR	8	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable


PXPOV112RAM8ACL020PVC	8	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212RAM8ACL020PUR	8	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112RAM8ACL030PVC	8	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212RAM8ACL030PUR	8	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112RAM8ACL050PVC	8	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212RAM8ACL050PUR	8	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112RAM8ACL100PVC	8	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212RAM8ACL100PUR	8	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112RAM8ACL150PVC	8	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212RAM8ACL150PUR	8	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV112RAM12ACL010PVC	12	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212RAM12ACL010PUR	12	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV112RAM12ACL020PVC	12	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212RAM12ACL020PUR	12	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112RAM12ACL030PVC	12	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212RAM12ACL030PUR	12	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112RAM12ACL050PVC	12	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212RAM12ACL050PUR	12	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112RAM12ACL100PVC	12	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212RAM12ACL100PUR	12	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112RAM12ACL150PVC	12	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212RAM12ACL150PUR	12	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV112RAM5BCL010PVC	5	B	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212RAM5BCL010PUR	5	B	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV112RAM5BCL020PVC	5	B	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212RAM5BCL020PUR	5	B	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112RAM5BCL030PVC	5	B	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212RAM5BCL030PUR	5	B	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112RAM5BCL050PVC	5	B	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212RAM5BCL050PUR	5	B	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112RAM5BCL100PVC	5	B	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212RAM5BCL100PUR	5	B	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112RAM5BCL150PVC	5	B	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212RAM5BCL150PUR	5	B	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV112RAM4DCL010PVC	4	D	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212RAM4DCL010PUR	4	D	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV112RAM4DCL020PVC	4	D	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212RAM4DCL020PUR	4	D	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112RAM4DCL030PVC	4	D	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212RAM4DCL030PUR	4	D	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112RAM4DCL050PVC	4	D	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212RAM4DCL050PUR	4	D	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112RAM4DCL100PVC	4	D	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212RAM4DCL100PUR	4	D	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112RAM4DCL150PVC	4	D	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212RAM4DCL150PUR	4	D	Overmould Cable	15 M Lead Length	PUR Jacket Cable

M12, Flex Inline Body, Male, , A-Code, Over



PXPOV212FIM  
PXPOV112FIM

- 3, 4, 5, 8 and 12 poles
- 1,2,3,5,10 & 15M cable options
- Overmould Flex inline body
- Mates with Flex Body & panel mount connectors



Part Number	Poles	Code	Termination	Lead Length	Cable Material
PXPOV112FIM3ACL010PVC	3	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212FIM3ACL010PUR	3	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV112FIM3ACL020PVC	3	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212FIM3ACL020PUR	3	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112FIM3ACL030PVC	3	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212FIM3ACL030PUR	3	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112FIM3ACL050PVC	3	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212FIM3ACL050PUR	3	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112FIM3ACL100PVC	3	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212FIM3ACL100PUR	3	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112FIM3ACL150PVC	3	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212FIM3ACL150PUR	3	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV112FIM4ACL010PVC	4	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212FIM4ACL010PUR	4	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV112FIM4ACL020PVC	4	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212FIM4ACL020PUR	4	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112FIM4ACL030PVC	4	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212FIM4ACL030PUR	4	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112FIM4ACL050PVC	4	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212FIM4ACL050PUR	4	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112FIM4ACL100PVC	4	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212FIM4ACL100PUR	4	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112FIM4ACL150PVC	4	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212FIM4ACL150PUR	4	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV112FIM5ACL010PVC	5	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212FIM5ACL010PUR	5	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV112FIM5ACL020PVC	5	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212FIM5ACL020PUR	5	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112FIM5ACL030PVC	5	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212FIM5ACL030PUR	5	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112FIM5ACL050PVC	5	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212FIM5ACL050PUR	5	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112FIM5ACL100PVC	5	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212FIM5ACL100PUR	5	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112FIM5ACL150PVC	5	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212FIM5ACL150PUR	5	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV112FIM8ACL010PVC	8	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212FIM8ACL010PUR	8	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable

PXPOV112FIM8ACL020PVC	8	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212FIM8ACL020PUR	8	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112FIM8ACL030PVC	8	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212FIM8ACL030PUR	8	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112FIM8ACL050PVC	8	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212FIM8ACL050PUR	8	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112FIM8ACL100PVC	8	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212FIM8ACL100PUR	8	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112FIM8ACL150PVC	8	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212FIM8ACL150PUR	8	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV112FIM12ACL010PVC	12	A	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212FIM12ACL010PUR	12	A	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV112FIM12ACL020PVC	12	A	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212FIM12ACL020PUR	12	A	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112FIM12ACL030PVC	12	A	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212FIM12ACL030PUR	12	A	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112FIM12ACL050PVC	12	A	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212FIM12ACL050PUR	12	A	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112FIM12ACL100PVC	12	A	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212FIM12ACL100PUR	12	A	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112FIM12ACL150PVC	12	A	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212FIM12ACL150PUR	12	A	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV112FIM5BCL010PVC	5	B	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212FIM5BCL010PUR	5	B	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV112FIM5BCL020PVC	5	B	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212FIM5BCL020PUR	5	B	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112FIM5BCL030PVC	5	B	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212FIM5BCL030PUR	5	B	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112FIM5BCL050PVC	5	B	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212FIM5BCL050PUR	5	B	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112FIM5BCL100PVC	5	B	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212FIM5BCL100PUR	5	B	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112FIM5BCL150PVC	5	B	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212FIM5BCL150PUR	5	B	Overmould Cable	15 M Lead Length	PUR Jacket Cable
PXPOV112FIM4DCL010PVC	4	D	Overmould Cable	1 M Lead Length	PVC Jacket Cable
PXPOV212FIM4DCL010PUR	4	D	Overmould Cable	1 M Lead Length	PUR Jacket Cable
PXPOV112FIM4DCL020PVC	4	D	Overmould Cable	2 M Lead Length	PVC Jacket Cable
PXPOV212FIM4DCL020PUR	4	D	Overmould Cable	2 M Lead Length	PUR Jacket Cable
PXPOV112FIM4DCL030PVC	4	D	Overmould Cable	3 M Lead Length	PVC Jacket Cable
PXPOV212FIM4DCL030PUR	4	D	Overmould Cable	3 M Lead Length	PUR Jacket Cable
PXPOV112FIM4DCL050PVC	4	D	Overmould Cable	5 M Lead Length	PVC Jacket Cable
PXPOV212FIM4DCL050PUR	4	D	Overmould Cable	5 M Lead Length	PUR Jacket Cable
PXPOV112FIM4DCL100PVC	4	D	Overmould Cable	10 M Lead Length	PVC Jacket Cable
PXPOV212FIM4DCL100PUR	4	D	Overmould Cable	10 M Lead Length	PUR Jacket Cable
PXPOV112FIM4DCL150PVC	4	D	Overmould Cable	15 M Lead Length	PVC Jacket Cable
PXPOV212FIM4DCL150PUR	4	D	Overmould Cable	15 M Lead Length	PUR Jacket Cable

**Electrical:**

No. Poles	3	4	5	8	12
Current Rating	4A	4A	4A	2A	1.5A
Voltage Rating (ac/dc)	250V	250V	60V	30V	30V
Contact Resistance	<10mΩ				
Insulation Resistance	>100MΩ				
AC Breakdown Voltage					
3 Pole	1.5KV				
4 Pole	1.5KV				
5 Pole	1.5KV				
8 Pole	0.8KV				
12 Pole	0.8KV				
Operating Temp Range	-25°C to 80°C				
Approvals	Pending				

**Mechanical:**

Locking mechanism	Screw coupling
Sealing	IP67
Contact Accomodation	28AWG-22AWG
Cable acceptance	4.6 - 8.0mm Dia
Terminations	Single wire / PCB / Cable
Mechanical Operation	500 mating cycles
Diameter over coupling ring	12.5mm

**Materials:**

**Panel Mount**

**Cable Connectors**

**Flex & Inline Connectors**

Body	Nickel Plated Brass	TPU / PVC	Nickel Plated Brass / PA66
Coupling Nut	Nickel Plated Brass	Nickel Plated Brass	Nickel Plated Brass
Colour	Grey	Black	Black or Grey
Pin Contacts		Brass, Gold plating	
Socket Contacts		Phosphor Bronze, Gold plating	
O Rings & Gaskets			
RoHS	Compliant	Compliant	Compliant


MX	XXX	XX	XX	X	XX	X	XX	XXX	XXX	XXX
Series	Material	Series Size	Body Style	Orientation	No. Contacts	Code	Termination	Mounting / Gland Nut Thread	Lead Length	Cable Material
PXM	BNI = Brass Nickel	12	FB = Flex Body	M	03	A	ST = Screw Terminal	PG9	001	PUR
PXP	PAM = Polyamide		FI = Flex Inline Body	F	04	B	PC = PCB	PG7	002	PVC
	PUR = Overmould for PUR		RP = Rear Panel Mounting		05	D	CL = Cable	M16	003	
	PVC = Overmould for PVC		RA = Right Angle		08		SC = Solder		010	
					12				020	
									030	
									050	
									100	
									150	

M16, Flex Inline Body



PXMBNI16FIM

- 3, 4, 5, 6, 8 and 12 poles
- Solder termination
- Metal flex inline body
- Mates with Flex body and panel mount connectors




Part Number	Poles	Code	Termination
PXMBNI16FIM3ASCPG9	3	A	Solder Terminal
PXMBNI16FIM4ASCPG9	4	A	Solder Terminal
PXMBNI16FIM5ASCPG9	5	A	Solder Terminal
PXMBNI16FIM6ASCPG9	6	A	Solder Terminal
PXMBNI16FIM8ASCPG9	8	A	Solder Terminal
PXMBNI16FIM12ASCPG9	12	A	Solder Terminal

M16, Flex Body



PXMBNI16FBF

- 3, 4, 5, 6, 8 and 12 poles
- Solder termination
- Metal flex body
- Mates with Flex inline body and panel mount connectors




Part Number	Poles	Code	Termination
PXMBNI16FBF3ASCPG9	3	A	Solder Terminal
PXMBNI16FBF4ASCPG9	4	A	Solder Terminal
PXMBNI16FBF5ASCPG9	5	A	Solder Terminal
PXMBNI16FBF6ASCPG9	6	A	Solder Terminal
PXMBNI16FBF8ASCPG9	8	A	Solder Terminal
PXMBNI16FBF12ASCPG9	12	A	Solder Terminal

M16, Rear Panel Mounting, Male



PXMBNI16RPM

- 3, 4, 5, 6, 8 and 12 poles
- Solder termination
- Rear panel mount M16
- Mates with Flex body connectors




Part Number	Poles	Code	Termination
PXMBNI16RPM3ASCM16	3	A	Solder Terminal
PXMBNI16RPM4ASCM16	4	A	Solder Terminal
PXMBNI16RPM5ASCM16	5	A	Solder Terminal
PXMBNI16RPM6ASCM16	6	A	Solder Terminal
PXMBNI16RPM8ASCM16	8	A	Solder Terminal
PXMBNI16RPM12ASCM16	12	A	Solder Terminal

M16, Rear Panel Mounting, Female



PXMBNI16RPF

- 3, 4, 5, 6, 8 and 12 poles
- Solder termination
- Rear panel mount M16
- Mates with Flex inline body connectors



Part Number	Poles	Code	Termination
PXMBNI16RPF3ASCM16	3	A	Solder Terminal
PXMBNI16RPF4ASCM16	4	A	Solder Terminal
PXMBNI16RPF5ASCM16	5	A	Solder Terminal
PXMBNI16RPF6ASCM16	6	A	Solder Terminal
PXMBNI16RPF8ASCM16	8	A	Solder Terminal
PXMBNI16RPF12ASCM16	12	A	Solder Terminal



**Electrical:**

No. Poles	3	4	5	6	8	12
Current Rating	7A	7A	6A	5A	5A	3A
Voltage Rating (ac/dc)	250V	250V	250V	125V	60V	60V
Contact Resistance	<5mΩ					
Insulation Resistance	>100 <sup>3</sup> MΩ					
AC Breakdown Voltage						
3 Pole						
4 Pole						
5 Pole						
6 Pole						
8 Pole						
Operating Temp Range	-25°C to 80°C					
Approvals	Pending					

**Mechanical:**

Locking mechanism	Screw coupling
Sealing	IP67
Contact Accomodation	
3, 4, 5, 6 and 8 Pole	20 AWG
12 Pole	24 AWG
Cable acceptance	5.0 - 7.5mm Dia
Terminations	Single wire / PCB
Mechanical Operation	500 mating cycles
Diameter over coupling ring	6.5mm

**Materials:**

**Panel Mount**

**Cable Connectors**

Body	Nickel Plated Brass	
Coupling Nut	Nickel Plated Brass	Nickel Plated Brass
Colour	Grey	Black
Pin Contacts	Brass, Gold plating	Brass, Gold plating
Socket Contacts	Phosphor Bronze, Gold plating	Phosphor Bronze, Gold plating
O Rings & Gaskets		
RoHS	Compliant	Compliant

MX	XXX	XX	XX	X	XX	X	XX	XXX
Series PXM	Material BNI = Brass Nickel	Series Size 16	Body Style FB = Flex Body FI = Flex Inline Body RP = Rear Panel Mounting	Orientation M F	No. Contacts 03 04 05 06 08 12	Code A	Termination SC = Solder	Mounting / Gland Nut Thread PG9 M16

BUCCANEER  
M23 Series




M23, Flex Body, Male



PXMBNI23FBM

- Available in 12 and 19 poles
- Solder termination
- Metal flex body
- Mates with panel mount connectors




Part Number	Poles	Code	Termination
PXMBNI23FBM12ASCPG9	12	A	Solder Terminal
PXMBNI23FBM19ASCPG9	19	A	Solder Terminal

M23, Flex Body, Female



PXMBNI23FBF

- Available in 12 and 19 poles
- Solder termination
- Metal flex body
- Mates with panel mount connectors




Part Number	Poles	Code	Termination
PXMBNI23FBF12ASCPG9	12	A	Solder Terminal
PXMBNI23FBF19ASCPG9	19	A	Solder Terminal

M23, Right Angle, Female, M12,



PXMBNI23RAF

- Available in 12 and 19 poles
- Solder termination
- Metal right angle flex body
- Mates with panel mount connectors




Part Number	Poles	Code	Termination
PXMBNI23RAF12ASCPG9	12	A	Solder Terminal
PXMBNI23RAF19ASCPG9	19	A	Solder Terminal

M23, Front Panel Mounting, Male,



PXMBNI23FPM

- Available in 12 and 19 poles
- Solder termination
- Front panel M20
- Mates with flex body connectors



Part Number	Poles	Code	Termination
PXMBNI23FPM12ASCM20	12	A	Solder Terminal
PXMBNI23FPM19ASCM20	19	A	Solder Terminal

**Electrical:**

No. Poles	12	19
Current Rating	8A	8A
Voltage Rating (ac/dc)	200V	200V
Contact Resistance	<3mΩ	
Insulation Resistance	>100 <sup>3</sup> MΩ	
AC Breakdown Voltage		
12 Pole	1.5KV	
19 Pole	1.5KV	
Operating Temp Range	-25°C to 80°C	
Approvals	Pending	

**Mechanical:**

Locking mechanism	Screw coupling
Sealing	IP67
Contact Accomodation	18 AWG
Cable acceptance	6.0 - 8.0mm Dia
Terminations	Solder
Mechanical Operation	500 mating cycles
Diameter over coupling ring	6.5mm

**Materials:**

**Panel Mount**

**Cable Connectors**


Body	Nickel Plated Brass	Nickel Plated Brass
Coupling Nut	Nickel Plated Brass	Nickel Plated Brass
Colour	Grey	Black
Pin Contacts	Brass, Gold plating	Brass, Gold plating
Socket Contacts	Phosphor Bronze, Gold plating	Phosphor Bronze, Gold plating
O Rings & Gaskets		
RoHS	Compliant	Compliant

MX	XXX	XX	XX	X	XX	X	XX	XXX
Series PXM	Material BNI = Brass Nickel	Series Size 23	Body Style FB = Flex Body FP = Front Panel Mounting	Orientation M F	No. Contacts 12 19	Code A	Termination SC = Solder	Mounting / Gland Nut Thread PG9 M16



**BOX1M1212MA**

- 8 outputs
- Sealed using sealing caps
- Anodised aluminium body
- Mates with flex body and flex inline connectors




Part Number	Input Type	Pole Count	Output Type	Number of Outputs	Pole Count
BOX1M1212MA08M803F	M12	12 Contacts	M8	8 Contacts	M12



**BOX1M1205MA**

- 5 or 9 outputs
- Sealed using sealing caps
- Anodised aluminium body
- Mates with flex body and flex inline connectors



Part Number	Input Type	Pole Count	Output Type	Number of Outputs	Pole Count
BOX1M1205MA05M805F	M12	5 Contacts	M8	5 Contacts	M12
BOX1M1205MA09M805F	M12	5 Contacts	M8	9 Contacts	M12

**Electrical:**

No. Poles	
Current Rating	
Voltage Rating (ac/dc)	
Contact Resistance	
Insulation Resistance	
AC Breakdown Voltage	
Operating Temp Range	-25°C to 80°C
Approvals	Pending

**Mechanical:**

Locking mechanism	Screw coupling
Sealing	IP67
Mechanical Operation	500 mating cycles
Panel Nut	
Diameter over coupling ring	6.5mm

**Materials:****Panel Mount**

Body	Anodised Aluminium
Coupling Nut	
Colour	Black
Pin Contacts	Brass, Gold plating
Socket Contacts	Phosphor Bronze, Gold plating
RoHS	Compliant

BOX	X	XX	XX	X	X	XX	XX	XX	X
Series BOX	Inputs 1	Input Series M12	Input Poles 05 12	Orientation M	Code A	Outputs 05 08	Output Series M8	Output Poles 03 05	Orientation F