



| Declaration of Conformity | | | | |
|---|--|--------------------------------------|--------------------------------------|--|
| For the following equipment: | | | | |
| Product Name: Switching Power Supply | | | | |
| Model Designation: EPP-200-x(x= 12,15, 24, 27, 48) | | | | |
| is herewith confirmed to comply with the requirements set out in the Council Directive, the following standards were applied : | | | | |
| RoHS Directive (2011/65/EU), (EU)2015/863 | | | | |
| Low Voltage Directive (2014/35/EU): | | | | |
| EN62368-1:2014+A11 TUV certifi | | certificate No: I | icate No: R50439020 | |
| Electromagnetic Comp EMI (Electro-Magnetic Int Conducted emission Radiated emission | patibility Directive (2014/30/EU) : reference) EN55032:2015 EN55032:2015 | Class B Class A(| for Class II),Class B(for Class I) | |
| Harmonic current | EN61000-3-2:2014 | 0.0007.1 | | |
| Voltage flicker | EN61000-3-3:2013 | | | |
| EMS (Electro-Magnetic S | | | | |
| EN55024:2010+A1:2015 | . , | | | |
| ESD air | EN61000-4-2:2009 | Level 3 | 8KV | |
| ESD contact | EN61000-4-2:2009 | Level 2 | 4KV | |
| RF field susceptibility | EN61000-4-3:2006+A1:2008+A2:201 | 10 Level 3 | 10V/m | |
| EFT bursts | EN61000-4-4:2012 | Level 3 | 2KV/5KHz | |
| Surge susceptibility | EN61000-4-5:2014 | Level 4 | 2KV/Line-Line | |
| Surge susceptibility | EN61000-4-5:2014 | Level 4 | 4KV/Line-Earth | |
| Conducted susceptibility | EN61000-4-6:2014 | Level 3 | 10V | |
| Magnetic field immunity | EN61000-4-8:2010 | Level 3 | 30A/m | |
| Voltage dip, interruption Note: | EN61000-4-11:2004 >95% dip 0.5 period | s 30% dip 25 per | riods >95% interruptions 250 periods | |
| A component power supply with load will be installed into final equipment which consists of an electronically shielded metal enclosure. Since EMC performance will be affected by the complete installation, the final equipment manufacturers must re-qualify EMC Directive on the complete installation again. The EMC tests mentioned above are performed using a well defined metal plate to simulate said metal enclosure. For guidance on how to perform these EMC tests, please refer to "EMI testing of component power supplies".(as available on http://www.meanwell.com)". | | | | |
| This Declaration is effective from serial number EB9xxxxxxx | | | | |
| Person responsible for marking this declaration: | | | | |
| MEAN WELL Enterprises Co., Ltd. (Manufacturer Name) No.28, Wuquan 3rd Rd., Wugu Dist., New Taipei City 24891, Taiwan | | | | |
| (Manufacturer Address) | | | | |
| Johnny Huang/ Manager, Certific (Name / Position) | | sai/Director, Marke e / Position) | ting Department : (Signature) | |

Jul. 22nd, 2019

(Date)

Taiwan (Place)