

MKS-232/WS - 2way Speaker Cabinet



Vejrbestandige 2-vejs væghøjtalere, 30 W, 8 Ohm - sæt

- PA højttalere med fremragende lyd
- 13 cm polypropylen bas/mellemtonehøjtaler og dome tweeter
- Høj effektivitet
- Sort (SW) eller hvidt (WS) plastikkabinet med lakeret aluminiumsfrontgitter
- Vægbeslag i metal medfølger

Technical data:

Active/passive	: passive
Operating voltage	: -
Impedance	: 8 Ohm
Frequency range	: 75-20,000 Hz
Amplifier power	: -
Max. power	: -
THD	: -
S/N ratio	: -
Input signal	: -
System	: 2-way
Bass speaker	: 13 cm polypropylene bass-midrange speaker
Midrange speaker	: -
Tweeter	: dome tweeter
Number of speakers	: 2
Speaker size	: 13 cm
Power rating	: 30 W
Peak music power output	: 50 W
Sensitivity	: 89 dB/W/m
Max. rated SPL	: 103 dB
Radiation angle, horizontal	: -
Radiation angle, vertical	: -
Material (housing/cabinet)	: plastic
Colour	: white
Mounting facility	: mounting bracket
Protected against ball rebound	: -
Protective class	: IP55
Admiss. ambient temp.	: -20 Å°C to +50 Å°C
Power supply	: -
Dimensions	: 160 x 260 x 180 mm
Width	: 160 mm
Height	: 260 mm
Depth	: 180 mm
Weight	: 1.8 kg
Inputs	: speaker screw terminal
Outputs	: -



Other features

: -