Regulation EC No 1907/2006 Art.31

Productname: REINIGER 601

Creationdate :

08.11.11 Version:

1.0

Ref.Nr.:

BDS000732_3_20111108

Replaces: BB27280

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

REINIGER 601

Bulk

1.2. Relevant identified uses of the substance or mixture and uses advised against

Cleaners - Precision

1.3. Details of the supplier of the safety data sheet

CRC Industries Europe byba Touwslagerstraat 1 9240 Zele Belgium

Tel.: +32(0)52/45.60.11 Fax.: +32(0)52/45.00.34 E-mail: hse@crcind.com

Subsidiaries		Tel	Fax
CRC Industries Finland Oy	Asemanrinne 13, 08500 Lohja	+358/(19)32.921	+358/(19)383.676
CRC Industries France	6, avenue du marais, B.P. 90028, 95102 Argenteuil Cedex	01.34.11.20.00	01.34.11.09.96
CRC Industries Deutschland GmbH	Südring 9, D-76473 Iffezheim	(07229) 303.0	(07229)30 32 66
CRC INDUSTRIES IBERIA S.L.U.	GREMIO DEL CUERO-PARC.96, POLIGONO INDUSTR. DE HONTORIA, 40195 SEGOVIA	0034/921.427.546	0034/921.436.270
CRC Industries Sweden	Kryptongatan 14, 431 53 Mölndal	0046/31 706 84 80	0046/31 27 39 91

1.4. Emergency telephone number

CRC Industries Europe, Belgium: Tel.: +32(0)52/45.60.11 (office hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to 67/548/EEC or 1999/45/EC:

Health: R38: Irritating to skin.



Regulation EC No 1907/2006 Art.31

1.0

Productname: REINIGER 601 Creationdate: 08.11.11 Version:

Ref.Nr.: BDS000732_3_20111108 **Replaces:** BB27280

R65: Harmful: may cause lung damage if swallowed.

R67: Vapours may cause drowsiness and dizziness.

Physical: R11: Highly flammable.

Environment: R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

Other hazards: not classified

2.2. Label elements

Contains: hydrocarbons

Warning symbol(s): F: HIGHLY FLAMMABLE

Xn: HARMFUL



N: DANGEROUS FOR THE ENVIRONMENT

*

Risk-phrase(s): R11: Highly flammable.

R38: Irritating to skin.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

R65: Harmful: may cause lung damage if swallowed. R67: Vapours may cause drowsiness and dizziness.

Safety-phrase(s): S2: Keep out of the reach of children.

S9: Keep container in a well-ventilated place.

S16: Keep away from sources of ignition - No smoking.

S23: Do not breathe vapour. S24: Avoid contact with skin. S29: Do not empty into drains.

S33: Take precautionary measures against static discharges.

S35: This material and its container must be disposed of in a safe way. S62: If swallowed, do not induce vomiting: seek medical advice immediately

and show this container or label.

2.3. Other hazards

None

SECTION 3: Composition/information on ingredients

3.1. Substances



Regulation EC No 1907/2006 Art.31

Productname: REINIGER 601 Creationdate: 08.11.11 Version:

Ref.Nr.: BDS000732_3_20111108 Replaces: BB27280

Not applicable.

3.2. Mixtures

Hazardous ingredient	CAS-nr.	EC-nr	w/w %	symbol	R-phrases*	Notes
pentane	109-66-0	203-692-4	30-60	F+,Xn,N	12-51/53-65-66-67	Α
hydrocarbons,C6,isoalkanes,< 5% n-hexane	-	931-254-9	30-60	F,Xn,N	11-38-51/53-65-67	
Explanation notes						
A : substance with Community workplace exposure limit						

Hazardous ingredient	Registration number	CAS- nr.	EC-nr	w/w %	Hazard Class and Category	Hazard statement	Notes
pentane	01-2119459286-30	109-66- 0	203- 692-4	30-60	Flam. Liq. 2,Asp. Tox. 1,STOT SE 3,Aquatic Chronic 2	H225,H304,H336,H411	А
Explanation notes							
A : substance with Community workplace exposure limit							

^{(*} Explanation phrases : see chapter 16)

SECTION 4: First aid measures

4.1. Description of first aid measures

Contact with eyes:

If substance has got into eyes, immediately wash out with water for at least 15 minutes
Seek medical attention if irritation persists

Remove contaminated clothing immediately and wipe affected skin with dry cloth. Then wash with soap and water
Seek medical attention if irritation persists

Inhalation:
Fresh air, keep warm and at rest.
Seek medical attention if ill effects occur

Ingestion:
If swallowed do not induce vomiting because of risk of aspiration into the lungs. If aspiration is suspected obtain immediate medical attention

4.2. Most important symptoms and effects, both acute and delayed

Inhalation :	Excessive inhalation of solvent vapours may give rise to nausea, headaches and dizziness
Ingestion :	After vomiting of swallowed product aspiration into lungs is likely. Solvents may induce chemical pneumonia.
	Symptoms: sore throat, abdominal pain, nausea, vomiting
Skin contact :	Irritating to skin
	Symptoms : redness and pain
Eye contact :	Mildly irritating to eyes
-	Symptoms: redness and pain



Regulation EC No 1907/2006 Art.31

Replaces:

Productname: REINIGER 601

Creationdate: 08.11.11 Version:

1.0

Ref.Nr.: BDS000732_3_20111108

BB27280

4.3. Indication of any immediate medical attention and special treatment needed

General Advice: If you feel unwell, seek medical advice (show the label where possible

If symptoms persist always call a doctor

SECTION 5: Firefighting measures

5.1. Extinguishing media

foam, carbon dioxide or dry agent

5.2. Special hazards arising from the substance or mixture

May form explosive vapour/air mixtures Forms hazardous decomposition products CO.CO2

5.3. Advice for firefighters

Keep container(s) exposed to fire cool, by spraying with water In case of fire, do not breathe fumes

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Shut off all ignition sources

Ensure adequate ventilation

Wear suitable protective clothing including eye/face protection.

6.2. Environmental precautions

Do not allow to enter public sewers and watercourses

If polluted water reaches drainage systems or water courses, immediately inform appropriate authorities

6.3. Methods and material for containment and cleaning up

Absorb spillage in suitable inert material

Place in appropriate container

This material and/or its container must be disposed of as hazardous waste.

6.4. Reference to other sections

For further information see section 8



Regulation EC No 1907/2006 Art.31

1.0

Productname: REINIGER 601 Creationdate: 08.11.11 Version:

Ref.Nr.: BDS000732_3_20111108 **Replaces**: BB27280

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep away from heat and sources of ignition

Take precautionary measures against static discharges

Equipment should be earthed

Use explosion-proof electrical/ventilating/lighting/?/equipment.

Use only non-sparking tools.

Do not breathe aerosols or vapours.

Ensure adequate ventilation

Avoid contact with skin and eyes.

Wash thoroughly after use

Wear protective gloves/protective clothing/eye protection/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed, in a cool, well ventilated place.

Keep out of reach of children.

7.3. Specific end use(s)

Cleaners - Precision

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits:

Hazardous ingredient	CAS-nr.	method	
EU established exposure limits:			
pentane	109-66-0	TWA	1000 ppm
National established exposure limits, United Kingdom			
pentane	109-66-0	TWA	600 ppm

8.2. Exposure controls

Control procedures :	Ensure adequate ventilation	
	Keep away from heat and sources of ignition	
	Take precautionary measures against static discharges	
Personal protection :	Take precautions to avoid contact with skin and eyes when handling the product.	
	Ensure adequate ventilation	



Regulation EC No 1907/2006 Art.31

08.11.11 Version: Productname: **REINIGER 601** Creationdate:

1.0 BDS000732_3_20111108 Ref.Nr.: Replaces: BB27280

inhalation: In case of insufficient ventilation, wear suitable respiratory equipment.

Air purifying respirator equiped with organic gas/vapor cartridge (type A or

hands and skin: Wear suitable protective gloves

(nitrile)

eyes: Wear safety goggles.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Apperance : physical state : Liquid. colour: Colorless. odour : Solvent. pH: Not applicable. 35-65 °C

Boiling point/range:

Flash point: < 0 °C (Closed Cup)

Evaporation rate: Not available.

Explosion limits: upper limit: 7.8 % lower limit: 1.1 %

Vapour pressure : 38 kPa (@ 20°C). Relative density: 0.67 g/cm3 (@ 20°C). Solubility in water: Insoluble in water

Auto-ignition: > 200 °C

Viscosity: 0.4 mm²/s (@ 25°C)

9.2. Other information

VOC: 655 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions known if used for its intended purpose

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose

10.4. Conditions to avoid



Regulation EC No 1907/2006 Art.31

Productname: REINIGER 601

Creationdate: 08.11.11 Version:

1.0

Ref.Nr.: BDS000732_3_20111108

Replaces: BB27280

Avoid overheating

10.5. Incompatible materials

Strong oxidising agent

10.6. Hazardous decomposition products

CO,CO2

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Inhalation: Inhalation of solvent vapours may give rise to nausea, headaches and

dizziness

Ingestion: After vomiting of swallowed product aspiration into lungs is likely. Solvents

may induce chemical pneumonia.

Skin contact : Irritating to skin **Eye contact :** May cause irritation.

Toxicological data:

No information available

SECTION 12: Ecological information

12.1. Toxicity

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Ecotoxicological data:

No information available

12.2. Persistence and degradability

No experimental data available

12.3. Bioaccumulative potential

No experimental data available



Regulation EC No 1907/2006 Art.31

Productname: REINIGER 601

Creationdate:

08.11.11 Version:

Ref.Nr.:

BDS000732_3_20111108

Replaces:

BB27280

1.0

12.4. Mobility in soil

Insoluble in water

12.5. Results of PBT and vPvB assessment

No information available

12.6. Other adverse effects

No experimental data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product : This material and its container must be disposed of in a safe way.

Do not discharge into drains or the environment, dispose to an authorised

waste collection point.

Contaminated packaging: Disposal should be in accordance with local, state or national legislation

SECTION 14: Transport information

14.1. UN number

UN-number: 3295

14.2. UN proper shipping name

Proper shipping name: HYDROCARBONS, LIQUID, N.O.S.(hexanes, pentanes)

14.3. Transport hazard class(es)

Class: 3
ADR/RID - Classification code: F1

14.4. Packing group

Packing group:

14.5. Environmental hazards

ADR/RID - Environmentally hazardous:

Yes



Regulation EC No 1907/2006 Art.31

Productname: REINIGER 601 Creationdate: 08.11.11 Version:

Ref.Nr.: BDS000732_3_20111108 Replaces: BB27280

MDG - Marine pollutant: Marine pollutant

IATA/ICAO - Environmentally

hazardous:

Yes

14.6. Special precautions for user

ADR/RID - Tunnelcode:	(D/E)
IMDG - Ems:	F-E,S-D
IATA/ICAO - PAX:	305
IATA/ICAO - CAO	307

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Safety Data Sheet is compiled according to the current European requirements.

EU-directive 99/45/EC

Regulation (EC) No 1272/2008

Regulation (EC) No 1907/2006 (REACH)

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

*Explanation risk-phrases: R11: Highly flammable.

R12: Extremely flammable.

R38: Irritating to skin.

R65: Harmful: may cause lung damage if swallowed.

R66: Repeated exposure may cause skin dryness or cracking.

R67: Vapours may cause drowsiness and dizziness.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

*Explanation hazard statements: H225: Highly flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H336: May cause drowsiness or dizziness.

H411: Toxic to aquatic life with long lasting effects.

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific



Regulation EC No 1907/2006 Art.31

Productname: REINIGER 601

Creationdate:

08.11.11 Version:

1.0

BB27280

Ref.Nr.:

BDS000732_3_20111108

Replaces:

properties.

Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.

