



Splicing Connector Set; L-BOXX® Mini; 221, 2273, 773, 224, 243 Series

Item No.: 887-950



Splicing Connector Set; L-BOXX® Mini; 221, 2273, 773, 224, 243 Series

Marking

RoHS ✓
Compliant

Business data

Supplier	WAGO
Item no.	887-950
GTIN / EAN	4055143530279
Content	1
Order amount	1
Customer item number	

Notes

Item description: Contains: COMPACT PUSH WIRE® Connectors for Junction Boxes orange 3 x 0.5 ... 2.5 mm² 2273-20320 yellow 5 x 0.5 ... 2.5 mm² 2273-20520 light gray 8 x 0.5 ... 2.5 mm² 2273-20815 COMPACT Splicing Connector transparent 2 x 0.14 ... 4 mm² 221-41216 transparent 3 x 0.14 ... 4 mm² 221-41312 transparent 5 x 0.14 ... 4 mm² 221-4158 Lighting Connectors white 2 x 1 ... 2.5 mm² „s“ 224-11210 PUSH WIRE® Connectors for Junction Boxes red 2.5 ... 6 mm² „s+st“ 773-1735 MICRO PUSH WIRE® Connectors for Junction Boxes dark gray 4 x 0.6 ... 0.8 mm Ø 243-20430 dark gray 8 x 0.6 ... 0.8 mm Ø 243-20830

Technical data

Miscellaneous

Fire load [MJ]	5.208 [MJ]
Weight [g]	610 [g]

Technical data

<i>Width</i>	<i>260 mm / 10.236 Inch</i>
<i>Height</i>	<i>63 mm / 2.48 Inch</i>
<i>Depth</i>	<i>155 mm / 6.102 Inch</i>

Images & drawings





Address

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Telefon: 0571/887-0

Fax: 0571/887-169

<http://www.wago.com>

© WAGO Kontakttechnik GmbH & Co. KG

Technische Änderungen und Irrtümer vorbehalten.