



Delock DisplayPort Cable 4K 60 Hz with DC feed 2.1 x 5.5 mm 0.30 m panel-mount

Description

This DisplayPort cable by Delock is designed to provide a DisplayPort female port. Via the additional DC connector, it is possible to feed in power. By using active adapters, a constant power supply can be guaranteed.

Note

If power is supplied via the DC connector, the signal can only be transmitted in one direction. Without external power supply the cable can be used bidirectional.



Item no. 87039

EAN: 4043619870394 Country of origin: China Package: Zip poly bag

Specification

- Connectors:
 - 1 x DisplayPort female
 - 1 x DisplayPort female + 1 x 3.3 V DC jack 2.1 x 5.5 mm
- Resolution up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Supports HDCP 2.2 (High-Bandwidth Digital Content Protection)
- Supports HDR
- Input voltage: 3.3 V
- · Material: PC plastic
- Cable diameter: ca. 5.5 mm
- Mounting hole: ca. 21.5 x 12.5 mm, screw hole pitch ca. 28 mm
- Length incl. connectors (L): ca. 0.3 m
- · Colour: black

System requirements

• A free DisplayPort male port



Package content

• DisplayPort cable

Images





Interface

Connector 1:	1 x DisplayPort female
Connector 2:	1 x DC 5.5 x 2.1 mm female 1 x DisplayPort female

Technical characteristics

Maximum screen resolution:	3840 x 2160 @ 60 Hz
----------------------------	---------------------

Physical characteristics

Length:	0.3 m
Colour:	black